

RESEARCH INTERESTS IN DEPARTMENT

Financial applications of LULU smoothing procedures

A new class of data smoothing procedures has been developed by CH Rohwer over the last 15 years. They are called LULU smoothers, are based on combinations of the minimum and maximum operators (and thus nonlinear) and have very attractive mathematical properties, especially compared to other nonlinear smoothers. LULU smoothers have already been applied successfully to many problems in eg the earth sciences. However, to date they have not yet been applied to financial data. In this project we consider such applications. In particular, application to data series consisting of returns and volatility are being investigated. These types of data are extremely important in many financial applications and the role of outliers in such data need to be properly understood and their influence on predictions must be properly controlled. The behaviour of LULU in such cases is being investigated as well as the comparison of LULU with other smoothing procedures.

WJ Conradie, T de Wet and CH Rohwer

Loss of degrees-of-freedom in quadratic goodness-of-fit tests.

In many goodness-of-fit statistics one has a number of unknown parameters which have to be estimated from the data in order to apply the procedure. Quadratic-type goodness-of-fit statistics have asymptotic distributions equivalent to that of a weighted sum of independent chi-square random variables, each with one degree-of-freedom. For some of these quadratic statistics, estimation of the unknown parameters can lead to a loss of terms in the sum of chi-squares. This has become known in the literature as the property of "losing degrees-of-freedom". Under this project, this property was investigated for Wasserstein type distance measures and conditions found where the property holds. In particular it was shown how it holds for location and scale families separately. Further work is in progress to consider related statistics for which the property holds jointly for location-scale families. *T de Wet*

Saddlepoint approximation and areas of application

Suppose we are interested in the density of some statistic, based on identical independent observations with an underlying density. Unless the sample statistic and/or the underlying density have special forms, one cannot usually compute analytically the distribution of the statistic and one has to rely on an asymptotic distribution. The latter however, often does not provide a good approximation unless the sample size is (very) large. Moreover, such approximations tend to be inaccurate in the tails of the distribution, where one often wants to use them. Saddlepoint approximation together with the Edgeworth expansion often lead to a very accurate approximation to a required distribution, even for very small sample sizes. Furthermore saddlepoint approximations do not show the polynomial-like waves exhibited for instance by Edgeworth expansions per sé. The success of this approach has led to the study of more general areas of application, inter alia regressions quantiles. *T de Wet and PJU van Deventer*

Regression Quantiles

Regression quantiles (RQ's) are the analogues of order statistics in a regression setting and as such they are beginning to play a similar central role in statistical inference. A very unexplored area of RQ's is that of so-called extreme RQ's. It was only during 2000 that the first substantial theoretical result on this was published and much remains to be done. They have important applications to eg financial modeling where quantities like Value at Risk (VAR) are important indicators to assess an institution's risk, being essentially extreme quantiles. Since in many cases the VAR is also dependent on covariates, the application of extreme regression quantiles is immediate. In this project the properties of extreme RQ's are investigated to see how they perform under various model assumptions on the underlying distribution as well as the covariates. In a similar vein, regression depth estimators as recently proposed by Rousseeuw, are extended to depth quantiles and in particular extreme depth quantiles, and their properties are being investigated. Applications of these to problems in the financial field are considered. *T de Wet, PJ de Jongh (PU vir CHO) and J Beirlant (KUL, België).*

Measuring financial success and long term survival in capital versus non-capital intensive companies

The degree of capital intensity/labour intensity of an enterprise may effect financial decision-making. Moreover, predominantly capital intensive enterprises may react differently to a decline phase or upswing phase in the economy than predominantly labour intensive enterprises. In this study an instrument based on financial ratios is developed to measure the degree of capital intensity/labour intensity. This instrument is applied to enterprises listed on the JSE. The behaviour of capital intensive enterprises and of labour intensive enterprises as measured by various financial indicators (ratios) are compared. Comparisons are made for both an upswing and a decline in the economic cycle. *IJ Lambrechts, JZ Bloom and JN le Roux.*

Non-parametric principal components, discriminant analysis and related biplot displays

Linear discriminant analysis (LDA) is used in multidimensional statistical analysis for optimal separation of two or more groups as well as the classification of a new observation. If the assumption of equal covariance matrices is not satisfied quadratic discriminant analysis (QDA) can be used as alternative. The use of QDA drastically increases the number of parameters to be estimated, restricting the efficiency of QDA. Various non-parametric generalisations of discriminant analysis and principal components are investigated as well as related biplot displays. *NJ le Roux and S Gardner*

A statistical analysis of differentiation in the education of South African youth based on the Living standards and Development Survey 1993

This study investigates associations between years of education completed, literacy scores, numeracy scores, demographic variables and socio-economic variables. Modern multivariate graphical techniques are used to provide summaries of these relationships and to provide a base line for comparison with future data collected on education and socio-economic background.

NJ le Roux, S van der Berg and LC Wood

Bayesian analysis of cancer survival data using the lifetime model

Bayes estimators for some of the lifetime distribution parameters, such as the mean survival time, the hazard function and the survival distribution function are derived for survival data from various lifetime models. The estimators are derived using a selection of loss functions. The survival data are normally censored and the theory is based on right-censored data – other types of censoring are also investigated – non-parametrically and parametrically. Various types of prior distribution are used in this study.

PJ Mostert, JJJ Roux (University of South Africa) and A Bekker (University of South-Africa).

Forecasting by identification of linear structure in a time series

Forecasting is an important and difficult problem in time series analysis. Traditional methods are based on fitting a model to the available data, and extrapolating to future time points. An example is the class of Box-Jenkins models. In this research a new model-free approach is investigated, based on the principal components structure of the so-called time-delay matrix. *SJ Steel, J de Klerk and T de Wet.*

Variable selection in discriminant analysis: measuring the influence of individual cases

In this study the influence of individual data cases in discriminant analysis, specifically in the case where an initial variable selection step precedes the analysis, is considered. Existing influence measures proposed in the literature in a non-selection context are extended to a selection context, and a new, more informative measure of selection influence is proposed. Application of these measures in practical cases is investigated. *SJ Steel and N Louw.*

Influential data cases in the application of variable selection in multiple linear regression

Variable selection is frequently the first step in the analysis of a multivariate data set. It is, however, known that variable selection is an unstable process in the sense that small perturbations of the data may substantially influence which variables are selected. Against this background the identification of selection influential data cases is investigated. Modifying the selection process to take such cases into account, is also studied. *SJ Steel, JO van Vuuren and DW Uys.*

Repairable systems in Reliability: Bayesian Approaches

Research on repairable systems and their evaluation of their performance in terms of reliability and availability. Multi-unit systems are investigated. A Bayesian method of assessing reliability is of primary interest, since very little is published on this topic. PJ Mostert, VSS Yadavalli (University of Pretoria) & A Bekker (UNISA).

Process prior for hazard in Cox regression from a Bayesian viewpoint

Process prior methodology within the Cox regression models and non-parametric Bayesian survival analysis are investigated. Estimation of the baseline hazard and cumulative baseline hazard with or without ties are the main focus. Estimation is done using the Bayesian approach. With Mr Chris Muller (Department of Statistics and Actuarial Science, Stellenbosch)

PUBLICATIONS IN PEER-REVIEWED JOURNALS (2000-2006)

PUBLICATIONS 2006

- BEIRLANT J, DE WET T, GOEGEBEUR Y. A goodness-of-fit statistic for Pareto-type behaviour. *Journal of Computational and Applied Mathematics* 2006; **186** : 99-116.
- CONRADIE M, BESTER MM, CROUS LC, KIDD M. Do clinical features and MRI suggest the same nerve root in acute cervical radiculopathy?. *South African Journal of Physiotherapy/ Suid-Afrikaanse Fiositerapie Tydskrif* 2006; **62**(2) : 12-17.
- CONRADIE WJ, DE WET T, JANKOWITZ M. Exact and asymptotic distributions of LULU smoothers. *Journal of Computational and Applied Mathematics* 2006; **186** : 253-267.
- DALTON A, WITTHUHN RC, SMUTS CM, WOLMARANS P, NEL DG. Development, microbiological content and sensory analysis of a spread rich in *n*-3 fatty acids. *Food Research International* 2006; **39**(5) : 559-567.
- DU TOIT C, CONRADIE WJ. A realised volatility measurement using quadratic variation and dealing with microstructure effects. *Orion: Operations Research in South Africa* 2006; **22**(2) : 117-129.
- GARDNER S, GOWER JC, LE ROUX NJ. A synthesis of canonical variate analysis, generalised canonical correlation and Procrustes analysis. *Computational Statistics & Data Analysis* 2006; **50** : 107-134.
- JANKOWITZ M, CONRADIE WJ, DE WET T. Exact and asymptotic distributions of LULU smoothers. *Journal of Computational and Applied Mathematics* 2006; **186** : 253-267.
- LE ROUX NJ, GARDNER S. A biplot based approach to discriminant analysis with categorical variables in the presence of reversals. *South African Statistical Journal* 2006; **10**(1) : 1-31.
- LOUW N, STEEL SJ. Variable selection in kernel Fisher discriminant analysis by means of recursive feature elimination. *Computational Statistics & Data Analysis* 2006; **51** : 2043-2055.
- NIEUWOUDT HH, PRETORIUS IS, BAUER FF, NEL DG, PRIOR BA. Rapid screening of the fermentation profiles of wine yeasts by Fourier transform infrared spectroscopy. *Journal of Microbiological Methods* 2006; **67** : 248-256.
- NIEUWOUDT HH, PRETORIUS IS, BAUER FF, NEL DG, PRIOR BA. Rapid screening of the fermentation profiles of wine yeasts by Fourier transform infrared spectroscopy. *Journal of Microbiological Methods* 2006; **67**(2) : 248-256.
- STEEL SJ, UYS DW. Influential data cases when the Cp criterion is used for variable selection in multiple linear regression. *Computational Statistics & Data Analysis* 2006; **50** : 1840-1854.

PUBLICATIONS 2005

- CONRADIE WJ, DE WET T, JANKOWITZ M. An overview of LULU smoothers with Application to Financial Data. *Journal for Studies in Economics and Econometrics* 2005; **29**(1) : 97-121.
- GARDNER S, LE ROUX NJ, ALDRICH C. Process data visualisation with biplots. *Minerals Engineering* 2005; **18** : 955-968.
- GARDNER S, LE ROUX NJ, RYPSTRA T, SWART JPJ. Extending a scatterplot for displaying group structure in multivariate data: A case study. *Orion: Operations Research in South Africa* 2005; **21**(2) : 111-124.
- GARDNER S, LE ROUX NJ. Extensions of Biplot Methodology to Discriminant Analysis. *Journal of Classification* 2005; **22** : 59-86.
- LE ROUX NJ, GARDNER S, ALDRICH C. Biplot Analysis of Process Systems. *Transactions of the South African Institute of Electrical Engineers/ Handelinge Van Die Suid-Afrikaanse Instituut Van Elektriese Ingenieurs* 2005; **96**(4) : 253-258.
- LE ROUX NJ, GARDNER S. Analysing your multivariate data as a pictorial: A case for Applying Biplot Methodology. *International Statistical Review* 2005; **73** : 365-387.
- LE ROUX NJ, HAMMAN WD, DE VILLIERS JU, JOUBERT C. The influence of the nature of an enterprise's activities on earnings per share and cash flow per share as determinants of share prices. *Journal for Studies in Economics and Econometrics* 2005; **29**(1) : 61-81.
- LOCHNER C, HEMMINGS SMJ, KINNEAR CJ, NIEHAUS DH, NEL DG, CORFIELD VA, MOOLMAN-SMOOK JC, SEEDAT S, STEIN DJ. Cluster analysis of obsessive-compulsive spectrum disorders in patients with obsessive-compulsive Disorder. *Comprehensive Psychiatry* 2005; **46**(1) : 14-19.
- LOUW N, STEEL SJ. A Review of Kernel Fisher Discriminant analysis for statistical classification. *South African Statistical Journal* 2005; **39** : 1-21.

OBERHOLZER TG, DU PREEZ IC, KIDD M. Effect of LED curing on the microleakage, shear bond strength and surface hardness of a resin-based composite restoration. *Biomaterials* 2005; **26** : 3981-3986.

VAN DER MERWE E, KIDD M, METZKER S, BOLLIGER CT, IRUSEN E. Validating the use of the APACHE II score in a tertiary South African ICU. *Southern African Journal of Critical Care* 2005; **21**(1) : 46,48,50,52,54.

VAN VUUREN JO. Simultaneous identification of influential subsets and variable selection using quantabilities. *South African Statistical Journal* 2005; **39**(1) : 35-58.

WINTER J, ESLER KJ, KIDD M. An index to measure the conservation attitudes of landowners towards Overberg Coastal Renosterveld, a critically endangered vegetation type in the Cape Floral Kingdom, South Africa. *Biological Conservation* 2005; **126** : 383-394.

WURZ SJD, VAN PEER P, LE ROUX NJ, GARDNER S, DEACON HJ. Continental Patterns in Stone Tools: A Technological and Biplot-Based Comparison of Early Late Pleistocene Assemblages from Northern and Southern Africa. *African Archaeological Review* 2005; **22**(1) : 1-24.

Journal Articles (NON-subsidised)

VAN DER MERWE E, KIDD M, METZKER S, BOLLIGER CT, IRUSEN E. Validating the use of the APACHE II score in a tertiary South African ICU. *South African Journal of Critical Care* 2005; **21**(1) : 46-54.

PUBLICATIONS 2004

ALDRICH C, GARDNER S, LE ROUX NJ. Monitoring of metallurgical process plants by using biplots. *Aiche Journal* 2004; 50(9) : 2167-2186.

BEIRLANT J, DE WET T, GOEGEBEUR Y. Nonparametric estimation of extreme conditional quantiles. *Journal of Statistical Computation and Simulation* 2004; 74(8) : 567-580.

BOTHMA A, BOTHA HL, LE ROUX NJ. School results and access test results as indicators of first-year performance at university. *Orion: Operations Research in South Africa* 2004; 20(1) : 73-88.

DE JONGH PJ, DE WET T, VAN DEVENTER PJU. Saddlepoint approximations for the distribution of regression quantiles. *South African Statistical Journal* 2004; 38(1) : 59-78.

DE WET T. Statistical adjustment of tidal gauge data. *South African Statistical Journal* 2004; 38 : 79-91.

GEERTS GAVM, STUHLINGER M, NEL DG. A comparison of the accuracy of two methods used by pre-doctoral students to measure vertical dimension. *Journal of Prosthetic Dentistry* 2004; 91(1) : 59-66.

JOUBERT C, LE ROUX NJ, DE VILLIERS JU, HAMMAN WD. Earnings per share and cash flow per share as determinants of share prices in different phases of the economic business cycle as measured by the bootstrap applied to Demsetz's method. *Journal for Studies in Economics and Econometrics* 2004; 28(1) : 89-118.

KROON RS, OMLIN CW. Getting to Grips with Support Vector Machines: Application. *South African Statistical Journal* 2004; 38 : 159-172.

KROON RS, OMLIN CW. Getting to Grips with Support Vector Machines: Theory. *South African Statistical Journal* 2004; 38 : 93-114.

LE ROUX NJ, BOTHMA A, BOTHA HL. Statistical properties of indicators of first-year performance at university. *Orion: Operations Research in South Africa* 2004; 20(2) : 161-178.

LOCHNER C, HEMMINGS SMJ, KINNEAR CJ, NIEHAUS DJH, NEL DG, CORFIELD VA, MOOLMAN-SMOOK JC, SEEDAT S, STEIN DJ. Factor analysis of obsessive-compulsive spectrum disorder in patients with obsessive-compulsive disorder: clinical and genetic correlates. *Comprehensive Psychiatry* 2004; 14 : 105-113.

MOSTERT JH, MOSTERT FJ, STEEL SJ. Belangrikheid van arbeidsverwante risikofaktore vir beleggingsbesluitneming insake die bate-allokasie van langtermynversekeraars. *Tydskrif vir Geesteswetenskappe* 2004; 44(1) : 62-71.

OBERHOLZER TG, DU PREEZ IC, KIDD M. Effect of LED curing on the microleakage, shear bond strength and surface hardness of a resin-based composite restoration. *Biomaterials* 2004; 26 : 3981-3986.

OBERHOLZER TG, SCHÜNEMANN M, KIDD M. Effect of LED curing on microleakage and microhardness of Class V resin-based composite restorations. *International Dental Journal* 2004; 54 : 15-20.

OLLEY B, SEEDAT S, NEL DG, STEIN DJ. Predictors of major depression in recently diagnosed patients with HIV/AIDS in South Africa. *AIDS Patient Care and Stds* 2004; 18 : 481-487.

STEEL SJ, OOSTHUIZEN S, UYS DW. A measure of post variable selection error in multiple linear regression, and its estimation. *Journal of Statistical Computation and Simulation* 2004; 74 : 123-133.

MOSTERT PJ, BEKKER A, YADAVALLI VSS. A two-unit intermittently used cold standby system from a Bayesian viewpoint assuming a Dirichlet prior. *Pakistan Journal of Statistics* 2004; 20(2) : 223-229.

GARDNER S, LE ROUX NJ. *Modified biplots for enhancing two-class discriminant analysis*. Classification clustering and data mining applications: Proceedings of the meeting of the International Federation of Classification Societies (IFCS), Illinois Institute of Technology, Chicago, USA, Springer Verlag, New York ISBN 3540220143 2004: 8.

LOUW N, STEEL SJ. *Identifying important input variables by applying alignment in kernel Fisher discriminant analysis*. In *Statistical Modeling: Proceedings of the 19th International Workshop on Statistical Modeling*, Florence, Italy, 2004: 445-449.

MANSVELT EPG, VAN VELDEN DP, FOURIE E, ROSSOUW MH, WOLMARANS P, VAN RENSBURG SJ, SMUTS CM, NEL DG. *Platelet and haemostatic changes after a Mediterranean-like diet complemented with red wine*. XXVIII WORLD CONGRESS OF VINE AND WINE 2ND GENERAL ASSEMBLY OF THE OIV, Hofburg, Vienna, Austria, 2004: O_4_09:1-8.

VAN VELDEN DP, MANSVELT EPG, WOLMARANS P, FOURIE E, NEL DG, MARAIS AD, BLACKHURST DM. *The influence of a Mediterranean-like diet with and without red wine on the criteria related to the metabolic syndrome*. XXVIII World Congress of Vine and Wine 2nd General Assembly of the OIV, Hofburg, Vienna, Austria, OIV 2004: P_4_14:1-8.

KRUGER FC, DANIELS C, SWART G, VAN RENSBURG CJ, KIDD M, HALL P. *Histological findings on liver biopsy in South African patients with non-alcoholic fatty liver disease (NAFLD)*. SAGES-ASSA 2004 Congress, Cape Town International Convention Centre, Cape Town, South Africa, South African Medical Journal 2004: 687.

VAN RENSBURG CJ, DANIELS C, DE VILLIERS NJ, WRIGHT CA, KIDD M, DE JONGH G, LANA, KOTZE M. *Significance of COX-2, C-MYB and C-MYC MRNA expression in the barrett's metaplasia (BM)-dysplasia-carcinoma sequence*. SAGES-ASSA 2004 Congress, Cape Town International Convention Centre, Cape Town, South Africa, South African Medical Journal 2004: 675.

PUBLICATIONS 2003

DE JONGH PJ, DE WET T. Small sample performance of extreme regression quantiles. *South African Statistical Journal* 2003; 37 : 79-104.

DE VILLIERS JU, HAMMAN WD, JOUBERT C, LE ROUX NJ. Earnings per share and cash flow per share as determinants of share value: Tests of significance using the bootstrap with Demsetz's method. *Journal for Studies in Economics and Econometrics* 2003; 27(1) : 95-125.

ERASMUS PD, LE ROUX NJ, GARDNER S, LAMBRECHTS IJ. The evaluation of traditional and value-added measures of capital intensity. *Bestuursdynamika: Kontemporêre Navorsing / Management Dynamics: Contemporary Research* 2003; 12 : 12-23.

HUGO CJ, SEIER J, MDHLULI C, DANIELS WMU, HARVEY BH, DU TOIT DF, WOLFE-COOTE S, NEL DG, STEIN DJ. Fluoxetine decreases stereotypic behaviour in primates. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 2003; 27 : 639-643.

LE ROUX NJ, GARDNER S, OLIVIER P. Biplots for displaying multidimensional financial performance data graphically. *SA Journal of Accounting Research (Formerly: De Ratione)* 2003; 17(1) : 41-64.

WURZ S, LE ROUX NJ, GARDNER S, DEACON HJ. Discriminating between the end products of the earlier Middle Stone Age sub-stages at Klasies River using biplot methodology. *Journal of Archaeological Science* 2003; 30 : 1107-1126.

GARDNER S, LE ROUX NJ. *Discriminant analysis with categorical variables: a biplot based approach*. 26th Annual Conference of the Gesellschaft fur Klassifikation e.V. Universität Mannheim, Mannheim, Germany, 2003: 30-38.

GARDNER S, LE ROUX NJ. *Graphics and visualisation in practice: Biplots for exploring multidimensional reality*. Bulletin of the International Statistical Institute, 54th proceedings, Berlin, Germany, 2003: 270-273.

STEEL SJ, LOUW N. *Between Data Science and Applied Data Analysis*. 26th Annual Conference of the Gesellschaft fur Klassifikation e.V. University of Mannheim, Mannheim, Germany, Springer 2003: 109-117.

PUBLICATIONS 2002

BLOOM JZ, LAMBRECHTS IJ, LE ROUX NJ. The behaviour of financial ratios for capital and labour intensive enterprises during the economic cycle. *Journal for Studies in Economics and Econometrics* 2002; 26(1) : 51-70.

DE WET T, DE JONGH PJ, CLOETE GS. Combining Vasicek and robust estimators for forecasting systematic risk. *Investment Analysts Journal* 2002; 55 : 37-44.

DE WET T. Goodness-of-fit tests for location and scale families based on a weighted L_2 -Wasserstein distance measure. *Test* 2002; 11(1) : 89-107.

MOSTERT JH, STEEL SJ, MOSTERT FJ. Importance of external environmental labour-related risk factors for financial investment decision making. *Suid-Afrikaanse Tydskrif vir Ekonomiese en Bestuurswetenskappe/South African Journal of Economic and Management Sciences* 2002; 5(3) : 644-662.

NEL M, NEL DG, JOUBERT G. A comparison of approximate confidence interval methods for the difference between two independent binomial proportions. *South African Statistical Journal* 2002; 36(1) : 77-95.

VAN DER BERG S, WOOD LC, LE ROUX N. Differentiation in black education. *Development Southern Africa* 2002; 19(2) : 289-306.

VAN DER MERWE L, MARITZ JS. Estimating the Conditional False-Positive Rate for Semi-Latent Data. *Epidemiology and Infection* 2002; 13(4) : 424-430.

YADAVALLI VSS, MOSTERT PJ, BEKKER A, BOTHA M. Berekening van 'n posteriori-verdeling in Bayes-analise: Toepassing in 'n betroubaarheidstelsel wat afwisselend gebruik word. *Suid-Afrikaanse Tydskrif vir Natuurwetenskap en Tegnologie/South African Journal of Science and Technology* 2002; 21(3) : 78-82.

PUBLICATIONS 2001

BLOOM JZ, LAMBRECHTS IJ & LE ROUX NJ. 2001. The behaviour of financial ratios for capital and labour intensive enterprises during an upswing and decline phase of the economic cycle. *Journal for Studies in Economics and Econometrics*. (In Press).

BURDEN M, GARDNER S, LE ROUX NJ & SWART JPJ. 2001. Ou-Kaapse meubels en stinkhoutidentifikasie: Moontlikhede met kanoniese veranderlike-analise en bistippings. *SA Tydskrif vir Kultuurgeskiedenis*. Vol. 15(1), 50 – 73.

DE WET T. 2001. Goodness-Of-Fit Tests for Location and Scale Families Based on a Weighted L_2 -Wasserstein Distance Measure. *Test*. (In Press)

ERASMUS PD, LAMBRECHTS IJ, LE ROUX NJ & GARDNER S. 2001. The use of biplots to interpret multivariate data: Measuring capital intensity: *Management Dynamics: Contemporary research*. Vol. 10(4), 48 – 73.

MOSTERT JH, STEEL SJ, MOSTERT FJ. Portfolio management practices of investment practitioners active in the long-term insurance industry. *South African Journal of Economic and Management Sciences* (2001); 4 (2):344-358.

STEEL SJ, LOUW N. Variable selection in discriminant analysis: measuring the influence of individual cases. *Computational Statistics and Data Analysis* (2001); 37:249-260.

VAN DER BERG S, WOOD LC & LE ROUX NJ. 2001. Differentiation in black education. *Development Southern Africa*. (In Press).

YADAVALLI VSS, BEKKER A, MOSTERT PJ & BOTHA M. 2001. Bayesian estimation of the stationary rate of disappointments for a model of a two-unit intermittently used system. *Pakistan Journal of Statistics*, 17(2), 117-125.

YADAVALLI VSS, BEKKER A, MOSTERT PJ & BOTHA M. 2001. *Bayesian highest posterior density intervals for the availability of a system with 'rest-period' for the repair facility*. *South African Journal of Industrial Engineering*, 12(2), 17–24.

MOSTERT PJ, BEKKER A & ROUX JJJ. 2001. *A Bayesian method to analyse cancer survival times using the Weibull model*. The sixth world Meeting of the International Society for Bayesian Analysis. Proceedings of ISBA 2000 – Bayesian Methods with applications to Science, Policy and Official Statistics. *Selected papers from ISBA 2000*: 371-380.

MOSTERT PJ, BEKKER A, YADAVALLI VSS & BOTHA M. 2001. *The study of the posterior distribution of the stationary rate of disappointments for an intermittently used two-unit cold standby system*. Proceedings of the Xth International Symposium on Applied Stochastic Models and Data Analysis, Selected Papers from ASMDA, Volume 2, 767-772.

STEEL SJ, LOUW N. *Variable selection in discriminant analysis in the presence of outliers*. 23rd International Conference on Information Technology Interfaces. Proceedings of the 23rd International

Conference on Information Technology Interfaces. Pula, Croatia, June 2001. 251-256.

PUBLICATIONS 2000

DE WET, T. 2000. Invited discussion of "Contributions of empirical and quantile processes to the asymptotic theory of goodness-of-fit tests". by del Barrio, E, Cuesta-Albertos JA and Matran, C (2000), TEST 9, 1-96.

BEKKER, A., ROUX, J.J.J and MOSTERT, P.J. 2000. A generalization of the compound Rayleigh distribution: Using Bayesian methods on cancer survival times. *Communications of Statistics – Theory and Methods*, 29(7), 1419-1433.

SALES, J, DEEMING, DC, VAN DEVENTER, PJU, MARTELLA, MB, NAVARRO, JL. 2000. Diurnal time-activity budget of adult Greater Rheas (*Rhea americana*) in a farming environment. *Arciv Für Geflügelkunde – European Poultry Science, Revue de science Avicole Européenne.* 64(5): 207-210.

STEEL, SJ, LOUW, N EN LE ROUX, NJ. 2000. "A comparison of the post selection error rate behaviour of the normal and quadratic linear discriminant rules." *Journal of Statistical Computation and Simulation*, 65, 157-172.

VAN DER MERWE, L and LOMBARD, CJ. 2000. Hierarchical Bayes Analysis of the Simplest Case-Crossover Design. *South African Statistical Journal*, 34 (2), 163-181.

VAN VUUREN, JO and CONRADIE, WJ. 2000. Diagnostics and plots for identifying collinearity-influential observations and for classifying multivariate outliers. *South African Statistical Journal.* 34(2), 135-161.