

**GOVERNMENT NOTICE**

**DEPARTMENT OF HEALTH**

**No. R 7634**

**7 APRIL 2003**

**FOODSTUFFS, COSMETICS AND DISINFECTANTS ACT, 1972  
(ACT NO. 54 OF 1972)**

**REGULATIONS RELATING TO THE FORTIFICATION OF CERTAIN  
FOODSTUFFS**

The Minister for Health has, in terms of Section 15 (1) of the Foodstuffs, Cosmetics and Disinfectants Act, 1972 (Act No. 54 of 1972), made the regulations in the Schedule.

**SCHEDULE**

**DEFINITIONS**

1. In these regulations any word or expression defined in the Act and not defined herein bears the same meaning as in the Act and unless the context otherwise indicates-

**“Department”** means the national Department of Health;

**“diluent”** means a suitable, inert, food-grade carrier for the micronutrients;

**“electrolytic iron”** means elemental iron powder as per specification in the latest edition of Food Chemical Codex;

**“enrichment”** means the addition of one or more nutrients to a foodstuff whether or not it is normally contained in a foodstuff with the sole purpose of adding nutritional value to the food;

**“food vehicle”** means dry and uncooked wheat flour, dry and uncooked maize meal and bread prepared with and containing at least 90% fortified wheat flour, excluding water;

**“fortificant”** means the prescribed compound which provides the specified micronutrient;

**“fortification mix”** means a premixed blend of fortificants and diluents formulated to provide specified and determinable amounts of micronutrients;

**“fortification”** means the addition of one or more micronutrients by means of a fortification mix to a foodstuff whether or not it is normally contained in a foodstuff for the purpose of preventing or correcting a demonstrated deficiency of one or more nutrients in the general population or specific population group of South Africa as determined by the Department;

**“maize meal”** means all milled, uncooked maize products and includes super, special, sifted and un-sifted maize meal, but excludes samp, grits, maize rice; and maize flour;

**“micronutrient”** means a natural or synthesised vitamin, mineral, or trace element that is essential for normal growth, development and maintenance of life and of which a deficit will cause characteristic biochemical or physiological changes;

**“quality control”** means the measures applied and the steps taken by a manufacturer of wheat and maize meal foodstuffs to ensure that the correct procedures are being followed and the set criteria are being met in administering fortificants to food vehicles;

**“SANAS”** means the South African National Accreditation Services, a non-profit organisation registered in terms of section 21 of the Companies Act, 1973 (Act No. 61 of 1973) registration number No. 199600354/08;

**“the Act”** means the Foodstuffs, Cosmetics and Disinfectants Act, 1972 (Act No. 54 of 1972);

**“wheat bread”** means all baked bread prepared with and containing at least 90% fortified wheat flour excluding water.

**“wheat flour”** means all milled, dry and uncooked wheat products with an ash content of more than 0.60% on a moisture-free basis but excludes crushed wheat, pearled wheat, semolina, wheat flour with an ash content of less than 0.60% on a moisture-free basis and self-raising flour.

## **GENERAL PROVISIONS**

2. Any person who manufactures, imports, or sells foodstuffs identified as food vehicles which have not been fortified in accordance with these regulations, including the requirements specified in Annexure I, shall be guilty of an offence.
3. Any person who manufactures, imports or supplies a fortification mix for the purpose of these regulations, without being registered with the Department, including the requirements specified in Annexure II, shall be guilty of an offence.
4. A person desiring to manufacture, import or supply a fortification mix shall apply to the Director-General for registration by submitting the information specified in Annexure III.
5. The registration referred to in regulation 4 is valid for a period of one year.
6. Registered manufacturers, importers or suppliers of fortification mixes shall issue a certificate of compliance as indicated in Annexure IV.
7. Registered manufacturers, importers or suppliers of fortification mixes shall comply with the principles set out in Annexure II.
8. Manufacturers and importers of food vehicles-
  - (a) may only obtain the fortification mix from companies that have registered with the Department; and

- (b) shall keep on record a certificate of compliance for every batch of fortification mix in the format specified in Annexure IV.

## SPECIAL PROVISIONS

9. (a) The formulation of the fortification mix for wheat flour based on the micronutrient requirements specified in Annexure V, Table 4a shall be as follows:

**TABLE 1: FORTIFICATION MIX FOR WHEAT FLOUR**

<b>Fortificants and diluent</b>	<b>Micronutrient requirements (per 1 kg flour)</b>	<b>Fortificant requirements (per 1 kg flour)</b>	<b>Fortification mix (g/kg)</b>
Vitamin A palmitate <sup>1</sup> (Activity: 75 000 mcgRE <sup>2</sup> /g)	1786 mcgRE	23.8095 mg	119.0475 g
Thiamin mononitrate (Activity: 78% min.)	1.9444 mg	2.4929 mg	12.4644 g
Riboflavin	1.7778 mg	1.7778 mg	8.8889 g
Nicotinamide/niacinamide	23.6842 mg	23.6842 mg	118.4210 g
Pyridoxine HCl (Activity: 81% min.)	2.6316 mg	3.2489 mg	16.2443 g
Folic acid (Activity: 90.5% min.)	1.4286 mg	1.5786 mg	7.8927 g
Electrolytic iron <sup>3</sup> (Activity: 98% min.)	35.00 mg	35.7143 mg	178.5714 g
Zinc oxide (Activity: 80% min.)	15.00 mg	18.7500 mg	93.7500 g
Diluent	-	To complete 200 mg	To complete 1000 g

1. Protected, stabilized Vitamin A palmitate containing 75 000 mcg RE activity per gram.
2. Retinol equivalents (RE) = 1 mcg retinol = 3.33 IU (International units) vitamin A
3. Elemental iron powder where more than 95% passes through a 325 mesh (<45 microns particle size) made by an electrolytic process.

- (b) The formulation of the fortification mix for maize meal based on the micronutrient requirements specified in Annexure V, Table 4b shall be as follows:

**TABLE 2a: FORTIFICATION MIX FOR MAIZE MEAL  
(Super, special, sifted, unsifted)**

<b>Fortificants and diluent</b>	<b>Micronutrient requirements (Per 1 kg meal)</b>	<b>Fortificant requirements (Per 1 kg meal)</b>	<b>Fortification mix (g/kg)</b>
Vitamin A palmitate <sup>1</sup> (Activity: 75 000 mcgRE <sup>2</sup> /g)	2085 mcgRE	27.8000 mg	139.0000 g
Thiamine mononitrate (Activity: 78% min.)	2.1875 mg	2.8045 mg	14.0224 g
Riboflavin	1.6875 mg	1.6875 mg	8.4375 g
Nicotinamide/niacinamide	25.000 mg	25.0000 mg	125.0000 g
Pyridoxine HCl (Activity: 81% min.)	3.1250 mg	3.8580 mg	19.2901 g
Folic acid (Activity: 90.5% min.)	2.0000 mg	2.2099 mg	11.0497 g
Electrolytic iron <sup>3</sup> (Activity: 98% min.)	35.0000 mg	35.7143 mg	178.6714 g
Zinc oxide (Activity: 80% min.)	15.00 mg	18.7500 mg	93.7500 g
Diluent	-	To complete 200 mg	To complete 1000 g

1. Protected, stabilized Vitamin A palmitate containing 75 000 mcg RE activity per gram
  2. Retinol equivalents (RE) = 1 mcg retinol = 3.33 IU (International units) vitamin A
  3. Elemental iron powder where more than 95% passes through a 325 mesh (<45 microns particle size) made by an electrolytic process.
10. (a) Manufacturers, importers and suppliers of un-sifted maize meal may apply to the Director-General for special permission to use a fortification mix with a reduced level of electrolytic iron.
- (b) Where special permission was granted in terms of paragraph (a), the formulation of the fortification mix for un-sifted maize meal based on the micronutrient requirements specified in Annexure V, Table 4c shall be as follows:

**TABLE 2b: FORTIFICATION MIX FOR UNSIFTED MAIZE MEAL  
(Special permission)**

<b>Fortificants and diluent</b>	<b>Micronutrient requirements (per 1 kg meal)</b>	<b>Fortificant requirements (per 1 kg meal)</b>	<b>Fortification mix (g/kg)</b>
Vitamin A palmitate <sup>1</sup> (Activity: 75 000 mcgRE <sup>2</sup> /g)	2085 mcgRE	27.8000 mg	139.0000 g
Thiamine mononitrate (Activity: 78% min.)	2.1875 mg	2.8045 mg	14.0224 g
Riboflavin	1.6875 mg	1.6875 mg	8.4375 g
Nicotinamide/niacinamide	25.000 mg	25.0000 mg	125.0000 g
Pyridoxine HCl (Activity: 81% min.)	3.1250 mg	3.8580 mg	19.2901 g
Folic acid (Activity: 90.5% min.)	2.0000 mg	2.2099 mg	11.0497 g
Electrolytic iron <sup>3</sup> (Activity: 98% min.)	17.5000 mg	17.857 mg	89.2857 g
Zinc oxide (Activity: 80% min.)	15.00 mg	18.7500 mg	93.7500 g
Diluent	-	To complete 200 mg	To complete 1000 g

1. Protected, stabilized Vitamin A palmitate containing 75 000 mcg RE activity per gram.
2. Retinol equivalents (RE) = 1 mcg retinol = 3.33 IU (International units) vitamin A
3. Elemental iron powder where more than 95% passes through a 325 mesh (<45 microns particle size) made by an electrolytic process.

(c) The fortification mix shall be used at an addition rate of 200 g per ton of food vehicle.

(d) The fortification of wheat flour containing wheat bran must allow for the addition of the fortification mix to the base flour (white bread flour) only.

11. (a) The final, minimum levels of micronutrients (fortification standards) in the fortified wheat flour at 14% moisture basis and wheat bread at 39% moisture basis shall be not less than the levels shown in Table 3 below and must be in accordance with Annexure VI, Tables 5a, 5b, 5c and 5d:

**TABLE 3: FORTIFICATION STANDARDS - WHEAT FLOUR AND BREAD**

Micronutrient	Unit	WHEAT FLOUR		WHEAT BREAD	
		White	Brown	White	Brown
Vitamin A <sup>1</sup>	mcgRE/kg	1610	1415	800	700
Thiamine	mg/kg	3.91	3.79	2.49	2.54
Riboflavin	mg/kg	2.05	1.95	1.41	1.39
Niacin	mg/kg	38.42	54.76	27.91	41.59
Pyridoxine	mg/kg	2.82	3.07	2.13	2.67
Folic acid	mg/kg	1.36	1.24	0.74	0.74
Iron	mg/kg	43.65	47.97	32.26	34.69
Zinc	mg/kg	20.70	26.73	15.30	20.07

1 Retinol equivalents (RE) = 1 mcg retinol = 3.33 IU (International units) vitamin A

(b) The final, minimum levels of micronutrients (fortification standards) in fortified maize meal at 12.5% moisture basis shall be not less than the levels shown in Table 4 below and shall be in accordance with Annexure VI, Tables 6a, 6b, 6c and 6d:

**TABLE 4: FORTIFICATION STANDARDS - MAIZE MEAL**

Micronutrient	Unit	MAIZE MEAL			
		Super	Special	Sifted	Un-sifted
Vitamin A <sup>1</sup>	mcgRE/kg	1877	1877	1877	1877
Thiamine	mg/kg	3.09	3.86	4.76	5.57
Riboflavin	mg/kg	1.79	1.88	1.97	2.06
Niacin	mg/kg	29.70	31.86	34.65	38.25
Pyridoxine	mg/kg	3.89	4.25	4.79	5.42
Folic acid	mg/kg	1.89	1.90	1.92	1.94
Iron	mg/kg	37.35	40.14	44.28	50.40 <sup>2</sup>
Zinc	mg/kg	18.90	22.55	26.60	30.20

1. Retinol equivalents (RE) = 1 mcg retinol = 3.33 IU (International units) vitamin A.
2. Where special permission was granted in terms of regulation 10, a lower iron content of 34.65 mg/kg is allowed.

(c) The fortification standards referred to in Table 3 and Table 4 of these Regulations shall be the minimum micronutrient levels in uncooked wheat flour and uncooked maize meal when sampled at the point of manufacturing, importation or sale.

(d) A sample of a fortified food vehicle, taken by an inspector in terms of the Act, shall be analysed for the amounts of nicotinamide / niacinamide, or riboflavin and retinol / vitamin A palmitate, and the results of such a sample shall be considered as representative of the standards prescribed by these Regulations in Table 3 and Table 4.

### **Labelling of fortified foodstuffs**

12. In addition to the Regulations Governing the Advertising and Labelling of Foodstuffs made under the Act, all food vehicles shall be labelled as follows:

(a) the claim “enriched with” or “enriched” may only be used in addition to the word “fortified” on one label in cases where a micronutrient other than the specified fortificants is added to a food vehicle or in cases where at least 15% more than the prescribed amounts of fortificants are added to a food vehicle;

(b) the claim “Fortified for better health” and the official fortification logo to that effect as indicated in Annexure VII are reserved only for food vehicles, that have been identified in these regulations and may be displayed on the label or in an advertising material;

(c) any person who uses the official logo referred to in Annexure VII on labels or in advertising material for foodstuffs other than in accordance with these regulations or any other regulations made in terms of the Act, shall be guilty of an offence.

(d) (i) the claim “Manufactured with fortified maize meal for better health” or “Manufactured with fortified wheat flour for better health”, whatever the case may be, may be used for foodstuffs, other than food vehicles, prepared with and containing at least 90% of one or more of the identified food vehicles as ingredient, excluding water;

- (ii) a logo as indicated in Annexure VIII, may be displayed on the label or at the point of sale on a notice displayed in the direct vicinity of where the foodstuff referred to in subparagraph (i) is displayed on the shelf and within clear sight of the consumer;
- (e) minerals of the fortification mix shall-
  - (i) in the list of ingredients be identified individually by the compound names (electrolytic iron, zinc oxide);and
  - (ii) indicate the elemental mineral in the table with nutritional information;
- (f) The nutritional information declaration as described in Annexure 2 of the Regulations Relating to the Labeling and Advertising of Foodstuffs shall be printed by the manufacturer on the back or side panel of food vehicles and those foodstuffs manufactured with fortified wheat flour or fortified maize meal in letters at least 1 mm in height for lower case letters, or a bigger letter size in the case of woven polypropylene packaging material, provided the information is easily legible;
- (g) The nutritional information declaration referred to in paragraph (f) as well as nutritional information relevant to the fortification specifications shall be declared per daily serving and per 100 g, provided that in the case of dry, uncooked wheat flour and dry, uncooked maize meal as purchased, the daily serving may be regarded as 100g;
- (h) Wherever the official logo is used, it shall be used in the format of either Annexure VII or Annexure VIII and shall be printed in a prominent position on the main panel in bold print against a contrasting or clear background on all types of packaging material. The logo shall be clearly visible, easily legible and indelible;
- (i) The official logo shall be a minimum size of 25 mm for paper and plastic packaging and a minimum size of 100 mm for woven polypropylene packaging;
- (j) The design of the logo shall be constructed as indicated in facsimile 1 in Annexure VII or Annexure VIII;

(k) The logo may be printed in monochrome as per facsimile 1 in Annexure VII or Annexure VIII, or in any of the selected main colours of the packaging.

(l) Where the full colour version of the logo is used, the following colours shall be used in accordance with facsimile 2 in Annexure VII or Annexure VIII:

**Grass:**

Green 1      Pantone 390      (45c 100y)

**Male's shorts:**

Green 2      Pantone 349      (100c 100y 54k)

**Sun:**

Orange 1      Pantone 123      (28m 100y)

**Back female's arms x 2, legs x 2, head:**

Orange 2      Pantone 138      (53m 100y 8k)

**Back female's skirt, front female's eyes x 2:**

Blue 1      Pantone 3015      (100c 40k)

**Front female's T-shirt:**

Blue 2      Pantone 274      (100c 100m 30k)

**Sky :**

Blue 3      Pantone 290      (10c)

**Front female's arms x 2, legs x 2, head :**

Flesh      Pantone 719      (15m 18y)

**Male's T-shirt:**

Yellow      Process yellow      (100y)

**Male's arms x 2, legs x 2, head:**

Brown      Pantone 470      (56m 78y 40k)

**Back female's T-shirt, mouth, front female's skirt and mouth:**

Red      Pantone 485      (100m 100y)

**Male's hair, eyes x 2, mouth, back female's hair, eyes x 2, front female's hair, outer circular border, all payoff lines:**

Black      Process black

**Repeal**

13. The Regulations on the Enrichment of Maize Meal, promulgated under Government notice No. R 2839 of 21 December 1979 are hereby repealed.

**Commencement**

14. These regulations shall come into operation 6 months after the date of final publication.

**ME TSHABALALA-MSIMANG**

**MINISTER OF HEALTH**

## **ANNEXURE I**

### **QUALITY CONTROL PRINCIPLES**

#### **MANUFACTURERS OF FORTIFIED WHEAT FLOURS AND MAIZE MEALS**

Manufacturers of wheat flours and maize meals shall:

1. keep monthly records of the amount of fortification mixes used every month. These records shall correspond with the monthly production records;
2. ensure that fortification mixes are stored under the conditions laid down by the manufacturer;
3. ensure that strict stock rotation procedures are adhered to in order to prevent old stock losing potency and to comply with the shelf life expiry date;
4. ensure that all critical stages of the manufacturing process are monitored to ensure that the correct dosage levels are maintained through the following measures:
  - (a) checking of fortification mix feeders at least once a day to ensure that they are delivering the correct dosage levels;
  - (b) performing visual checks at least twice per shift to ensure that fortification mixes are being used and that no blockages have occurred and keeping record of this;
  - (c) performing two-hourly spot checks to ensure that the product has been dosed correctly by determining one of the components of a fortification mix according to the appropriate analytical method.

## **ANNEXURE II**

### **QUALITY CONTROL PRINCIPLES**

#### **MANUFACTURERS OR SUPPLIERS OF FORTIFICATION MIXES**

Manufacturers, importers or suppliers of fortification mixes shall:

1. keep monthly records of the quantities of fortification mixes sold to wheat flour and maize meal manufacturers as well as a list of the names and addresses of the aforesaid purchasers;
2. ensure that the quality standard for diluents and fortificants, independently or mixed with a diluent shall be in accordance with the standards as determined in the latest edition of Food Chemicals Codex (FCC).
3. ensure that each batch of a fortification mix for the various vehicles complies with the fortification standards described in Tables 1, 2(a) and 2(b) of regulations 9 and 10 respectively;
4. submit one 500 g sample of a fortification mix every six months for each food vehicle to a laboratory that has accreditation for the methods of analysis as indicated by the fortification mix manufacturer, importer or supplier from SANAS or another international accreditation body; keep the analysis report on record and submit a copy of the report to the Director-General; and
5. bear the costs of the analysis mentioned in paragraph 4.

**ANNEXURE III**

**APPLICATION FORM FOR REGISTRATION OF FORTIFICATION MIXES:  
MANUFACTURERS, IMPORTERS & SUPPLIERS**

1. **Company Name:**
2. **Company address (Postal):**
3. **Company street address:**
4. **Company Tel. No.**
5. **Company Fax No.**
6. **E-mail address:**
7. **Names of: (Print please)**

<b>Managing Director</b>	
<b>Quality Assurance Manager</b>	
<b>Production Manager</b>	

8. **Activities/facilities:**

<b>Are you:</b>	<b>Yes</b>	<b>No</b>
<b>A packer?</b>		
<b>A co-packer?</b>		
<b>A manufacturer?</b>		
<b>A distributor?</b>		
<b>an importer?</b>		

9. **Are you a Medicines Control Council (MCC) registered facility?**
10. **Has the company been inspected by the Inspectors (appointed in terms of section 26 of the Medicines and Related Substances Act, 1965 (Act No 101 of 1965) Yes/No**
11. **If yes, mention the date of the last inspection:**

12. Does your company have ISO certification? Yes/no
13. Does your company have HACCP accreditation? Yes/No
14. Do you have a Quality Control Laboratory? Yes/No
15. Of those ingredients used in the manufacturing of fortification mixes, indicate which ingredients are:

Self manufactured by your company in South Africa:

\_\_\_\_\_

Imported from the mother company elsewhere in the world:

\_\_\_\_\_

Acquired from outside the borders of South Africa:

\_\_\_\_\_

Acquired in South Africa:

\_\_\_\_\_

16. How long has the company been in the business of manufacturing or selling fortification mixes?

\_\_\_\_\_ (number) years

17. Specify the laboratory and methods\* that will be used for the analyses of each of the micronutrients in the fortification mix:

Micronutrient	Laboratory	Analytical method
Vitamin A		
Thiamine (Vit B <sub>1</sub> )		
Riboflavin (Vit B <sub>2</sub> )		
Niacin (Vit B <sub>3</sub> )		
Pyridoxine (Vit B <sub>6</sub> )		
Folic acid		
Iron		
Zinc		

\* Only accredited analytical methods for which an original certificate or certified copy from SANAS or another internationally accreditation body has been obtained and which are attached to the application (Annexure III) will be accepted.

18. Are the original or a certified copy of accreditation for each of the above-mentioned micronutrients as per specified laboratory attached to this application form? Yes/No

## **ANNEXURE IV**

### **CERTIFICATE OF FORTIFICATION MIX COMPLIANCE**

**(This certificate is not transferable from one batch to another)**

- 1. Company Name:**
- 2. Company address (Postal):**
- 3. Company street address:**
- 4. Company Tel. No.**
- 5. Company Fax No.**
- 6. E-mail address:**
- 7. DECLARATION:**  
**It is hereby certified that (batch) \_\_\_\_\_ fortification mix, complies qualitatively and quantitatively with the following specification:**

### FORTIFICATION MIX SPECIFICATION

Fortificants	Wheat flour (g/kg)	Maize meal (g/kg)
Vitamin A palmitate <sup>1</sup> , (Activity: 75 000 mcgRE/g)	119.0475 g	139.0000 g
Thiamine mononitrate (Activity: 78% min.)	12.4644 g	14.0224 g
Riboflavin	8.8889 g	8.4375 g
Nicotinamide/Niacinamide	118.4210 g	125.0000 g
Pyridoxine HCl (Activity: 81% min.)	16.2443 g	19.2901 g
Folic acid (Activity: 90.5% min.)	7.8927 g	11.0497 g
Electrolytic iron (Activity: 98% min.)	178.5714 g	178.5714 g <sup>2</sup>
Zinc oxide (Activity: 80% min.)	93.7500 g	93.7500 g
<b>Diluent(s) (specify):</b> .....	<b>To complete 1000 g</b>	<b>To complete 1000 g</b>

1. Retinol equivalents (RE) = 1 mcg retinol = 3.33 IU  
(International units) vitamin A

2. Where special permission was granted for un-sifted maize meal, a lower electrolytic iron level of 89.2857 g/kg shall be used.

**Signed by:**

**Authorised signatory**

**Printed name**

**Date:**

**Seal**

## ANNEXURE V

### MICRONUTRIENT REQUIREMENTS FOR FORTIFICATION OF FOOD VEHICLES

**TABLE 4(a): WHEAT FLOUR**

Micronutrients	RDA	MICRONUTRIENT REQUIREMENTS				
		Per 200 g white bread flour			Per 1 kg flour	
		Nutritional Goal		Retention	Required Addition	Required Addition
%RDA	Amount					
Vitamin A (mcg RE)	<b>800</b>	31%	250	70%	357	1786
Thiamine (mg)	<b>1.40</b>	25%	0.3500	90%	0.3889	1.9444
Riboflavin (mg)	<b>1.60</b>	20%	0.3200	90%	0.3556	1.7778
Niacin (mg)	<b>18</b>	25%	4.5000	95%	4.7368	23.6842
Pyridoxine (mg)	<b>2.00</b>	25%	0.5000	95%	0.5263	2.6316
Folic acid (mg)	<b>0.40</b>	50%	0.2000	70%	0.2857	1.4286
Iron (mg)	<b>14</b>	50%	7.0000	100%	7.0000	35.0000
Zinc (mg)	<b>15</b>	20%	3.0000	100%	3.0000	15.0000

**TABLE 4(b): MAIZE MEAL (Super, special, sifted, unsifted)**

Micronutrients	RDA	MICRONUTRIENT REQUIREMENTS				
		Per 200 g maize meal			Per 1 kg meal	
		Nutritional Goal		Retention	Required Addition	Required Addition
%RDA	Amount					
Vitamin A (mcg RE)	<b>800</b>	31%	250	60%	417	2085
Thiamine (mg)	<b>1.40</b>	25%	0.3500	80%	0.4375	2.1875
Riboflavin (mg)	<b>1.60</b>	17%	0.2700	80%	0.3375	1.6875
Niacin (mg)	<b>18</b>	25%	4.5000	90%	5.0000	25.0000
Pyridoxine (mg)	<b>2.00</b>	25%	0.5000	80%	0.6250	3.1250
Folic acid (mg)	<b>0.40</b>	50%	0.2000	50%	0.4000	2.0000
Iron (mg)	<b>14</b>	50%	7.0000	100%	7.0000	35.0000
Zinc (mg)	<b>15</b>	20%	3.0000	100%	3.0000	15.0000

**TABLE 4(c): UNSIFTED MAIZE MEAL (Special permission)**

Micronutrients	RDA	MICRONUTRIENT REQUIREMENTS				
		Per 200 g maize meal			Per 1 kg meal	
		Nutritional Goal		Retention	Required Addition	Required Addition
		%RDA	Amount			
Vitamin A (mcg RE)	<b>800</b>	31%	250	60%	417	2085
Thiamine (mg)	<b>1.40</b>	25%	0.3500	80%	0.4375	2.1875
Riboflavin (mg)	<b>1.60</b>	17%	0.2700	80%	0.3375	1.6875
Niacin (mg)	<b>18</b>	25%	4.5000	90%	5.0000	25.0000
Pyridoxine (mg)	<b>2.00</b>	25%	0.5000	80%	0.6250	3.1250
Folic acid (mg)	<b>0.40</b>	50%	0.2000	50%	0.4000	2.0000
Iron (mg)	<b>14</b>	25%	3.5000	100%	3.5000	17.5000
Zinc (mg)	<b>15</b>	20%	3.0000	100%	3.0000	15.0000

## ANNEXURE VI

### MICRONUTRIENT COMPOSITION OF FORTIFIED FOODSTUFFS

**TABLE 5(a): WHITE BREAD FLOUR**

Micronutrients	COMPOSITION PER 1 kg FLOUR				
	Fortification	Natural	Total	Tolerance	Netto
Vitamin A (mcg RE)	1786	0	1786	±10%	1610
Thiamine (mg)	1.9444	2.4000	4.3444	±10%	3.9100
Riboflavin (mg)	1.7778	0.5000	2.2778	±10%	2.0500
Niacin (mg)	23.6842	19.0000	42.6842	±10%	38.4158
Pyridoxine (mg)	2.6316	0.5000	3.1316	±10%	2.8184
Folic acid (mg)	1.4286	0.0800	1.5086	±10%	1.3577
Iron (mg)	35.0000	13.5000	48.5000	±10%	43.6500
Zinc (mg)	15.0000	8.0000	23.0000	±10%	20.7000

**TABLE 5(b): BROWN BREAD FLOUR (88% White bread flour + 12% Bran)**

Micronutrients	COMPOSITION PER 1 kg FLOUR				
	Fortification	Natural	Total	Tolerance	Netto
Vitamin A (mcg RE)	1572	0	1572	±10%	1415
Thiamine (mg)	1.7111	2.5000	4.2111	±10%	3.7900
Riboflavin (mg)	1.5645	0.6000	2.1645	±10%	1.9481
Niacin (mg)	20.8421	40.0000	60.8421	±10%	54.7579
Pyridoxine (mg)	2.3155	1.1000	3.4155	±10%	3.0740
Folic acid (mg)	1.2572	0.1200	1.3772	±10%	1.2395
Iron (mg)	30.8000	22.5000	53.3000	±10%	47.9700
Zinc (mg)	13.2000	16.5000	29.7000	±10%	26.7300

**TABLE 5(c): WHITE BREAD**

Micronutrients	COMPOSITION PER 1 kg BREAD (± 667 g flour)				
	Fortification	Natural	Total	Tolerance	Netto
Vitamin A (mcg RE)	834	0	834	± 5%	800
Thiamine (mg)	1.1673	1.6000	2.7673	± 10%	2.4901
Riboflavin (mg)	1.0672	0.5000	1.5672	± 10%	1.4105
Niacin (mg)	15.0075	16.0000	31.0075	± 10%	27.9068
Pyridoxine (mg)	1.6675	0.7000	2.3675	± 10%	2.1308
Folic acid (mg)	0.6670	0.1500	0.8170	± 10%	0.7353
Iron (mg)	23.3450	12.5000	35.8450	± 10%	32.2605
Zinc (mg)	10.0050	7.0000	17.0050	± 10%	15.3045

**TABLE 5(d): "BROWN BREAD**

Micronutrients	COMPOSITION PER 1 kg BREAD ( $\pm$ 667 g flour)				
	Fortification	Natural	Total	Tolerance	Netto
Vitamin A (mcg RE)	734	0	734	$\pm$ 5%	700
Thiamine (mg)	1.0272	1.8000	2.8272	$\pm$ 10%	2.5445
Riboflavin (mg)	0.9391	0.6000	1.5391	$\pm$ 10%	1.3852
Niacin (mg)	13.2066	33.0000	46.2066	$\pm$ 10%	41.5859
Pyridoxine (mg)	1.4674	1.5000	2.9674	$\pm$ 10%	2.6707
Folic acid (mg)	0.5870	0.2300	0.8196	$\pm$ 10%	0.7353
Iron (mg)	20.5436	18.0000	38.5436	$\pm$ 10%	34.6892
Zinc (mg)	8.8044	13.5000	22.3044	$\pm$ 10%	20.0740

**TABLE 6(a): SUPER MAIZE MEAL**

Micronutrients	COMPOSITION PER 1 kg FLOUR				
	Fortification	Natural	Total	Tolerance	Netto
Vitamin A (mcg RE)	2085	0	2085	$\pm$ 10%	1877
Thiamine (mg)	2.1875	1.2500	3.4375	$\pm$ 10%	3.0938
Riboflavin (mg)	1.6875	0.3000	1.9875	$\pm$ 10%	1.7888
Niacin (mg)	25.000	8.0000	33.0000	$\pm$ 10%	29.7000
Pyridoxine (mg)	3.1250	1.2000	4.3250	$\pm$ 10%	3.8925
Folic acid (mg)	2.0000	0.1000	2.1000	$\pm$ 10%	1.8900
Iron (mg)	35.000	6.5000	41.5000	$\pm$ 10%	37.3500
Zinc (mg)	15.0000	6.0000	21.0000	$\pm$ 10%	18.9000

**TABLE 6(b): SPECIAL MAIZE MEAL**

Micronutrients	COMPOSITION PER 1 kg FLOUR				
	Fortification	Natural	Total	Tolerance	Netto
Vitamin A (mcg RE)	2085	0	2085	$\pm$ 10%	1877
Thiamine (mg)	2.1875	2.1000	4.2875	$\pm$ 10%	3.8588
Riboflavin (mg)	1.6875	0.4000	2.0875	$\pm$ 10%	1.8788
Niacin (mg)	25.000	10.4000	35.4000	$\pm$ 10%	31.8600
Pyridoxine (mg)	3.1250	1.6000	4.7250	$\pm$ 10%	4.2525
Folic acid (mg)	2.0000	0.1200	2.1200	$\pm$ 10%	1.9080
Iron (mg)	35.000	9.6000	44.6000	$\pm$ 10%	40.1400
Zinc (mg)	15.0000	10.0500	25.0500	$\pm$ 10%	22.5450

**TABLE 6(c): SIFTED MAIZE MEAL**

Micronutrients	COMPOSITION PER 1 kg FLOUR				
	Fortification	Natural	Total	Tolerance	Netto
Vitamin A (mcg RE)	2085	0	2085	$\pm$ 10%	1877
Thiamine (mg)	2.1875	3.1000	5.2875	$\pm$ 10%	4.7588
Riboflavin (mg)	1.6875	0.5000	2.1875	$\pm$ 10%	1.9688
Niacin (mg)	25.000	13.5000	38.5000	$\pm$ 10%	34.6500
Pyridoxine (mg)	3.1250	2.2000	5.3250	$\pm$ 10%	4.7925
Folic acid (mg)	2.0000	0.1400	2.1400	$\pm$ 10%	1.9260
Iron (mg)	35.000	14.2000	49.2000	$\pm$ 10%	44.2800
Zinc (mg)	15.0000	14.5500	29.5500	$\pm$ 10%	26.5950

**TABLE 6(d): UN-SIFTED MAIZE MEAL**

<b>Micronutrients</b>	<b>COMPOSITION PER 1 kg FLOUR</b>				
	<b>Fortification</b>	<b>Natural</b>	<b>Total</b>	<b>Tolerance</b>	<b>Netto</b>
Vitamin A (mcg RE)	2085	0	2085	±10%	1877
Thiamine (mg)	2.1875	4.0000	6.1875	±10%	5.5688
Riboflavin (mg)	1.6875	0.6000	2.2875	±10%	2.0588
Niacin (mg)	25.000	17.5000	42.5000	±10%	38.2500
Pyridoxine (mg)	3.1250	2.9000	6.0250	±10%	5.4225
Folic acid (mg)	2.0000	0.1600	2.1600	±10%	1.9440
Iron (mg)	35.000	21.0000	56.000	±10%	50.4000*
Zinc (mg)	15.0000	18.5500	33.5500	±10%	30.1950

\* Where special permission was granted for un-sifted maize meal , a lower netto iron content of 34.65 mg/kg shall be applicable

ANNEXURE VII

Facsimile 1 (Monochrome copy)



Facsimile 2 (Full colour copy)



ANNEXURE VIII

Facsimile 1 (Monochrome copies)



Facsimile 2 (Full colour copies)

