

Research Report**Plant- en Dierkunde : 2016**

PLEASE NOTE: The Research Report format modifications have now been completed. If you detect any problems with the format on the report, please contact the RA Administrators in the Research Office.

Journal Articles (subsidised)

CONRADIE W, BITTENCOURT-SILVA GB, ENGELBRECHT HM, LOADER SP, MENEGON M, TOLLEY KA. Exploration into the hidden world of Mozambique's sky island forests: New discoveries of reptiles and amphibians. *Zoosystematics and Evolution* 2016; **92**(2):163-180.

ROILOA SR, RETUERTO R, CAMPOY JG, NOVOA PEREZ A, BARREIRO R. Division of labor brings greater benefits to clones of *Carpobrotus edulis* in the non-native range: Evidence for rapid adaptive evolution. *Frontiers in Plant Science* 2016; **7**:349, 13 pages.

YATSU R, KATSU Y, KOHNO S, MIZUTANI T, OGINO Y, OHTA Y, MYBURGH JG, VAN WYK JH, GUILLETTE JR LJ, MIYAGAWA S, IGUCHI T. Characterization of evolutionary trend in squamate estrogen receptor sensitivity. *GENERAL AND COMPARATIVE ENDOCRINOLOGY* 2016; **238**:88-95.

ALEXANDER ME, SIMON CA, GRIFFITHS CL, PETERS K, SIBANDA S, MIZA S, GROENEWALD B, MAJIEDT P, SINK KJ, ROBINSON T. Back to the future: reflections and directions of South African marine bioinvasion research. *African Journal of Marine Science* 2016; **38**(1):141-144.

ANDERSON BC, PAUW CA, COLE WW, BARRETT SCH. Pollination, mating and reproductive fitness in a plant population with bimodal floral-tube length. *JOURNAL OF EVOLUTIONARY BIOLOGY* 2016; **29**(8):1631-1642.

ANDREOTTI S, RUTZEN M, VAN DER WALT SJ, VON DER HEYDEN S, HENRIQUES RP, MEÝER M, OOSTHUIZEN H, MATTHEE CA. An integrated mark-recapture and genetic approach to estimate the population size of white sharks in South Africa. *MARINE ECOLOGY PROGRESS SERIES* 2016; **552**:241-253.

ANDREOTTI S, VON DER HEYDEN S, HENRIQUES RP, RUTZEN M, MEÝER M, OOSTHUIZEN H, MATTHEE CA. New insights into the evolutionary history of white sharks, *Carcharodon carcharias*. *JOURNAL OF BIOGEOGRAPHY* 2016; **43**(2):328-339.

AUGUSTYN WJ, ANDERSON BC, ELLIS AG. Experimental evidence for fundamental, and not realized, niche partitioning in a plant-herbivore community interaction network. *JOURNAL OF ANIMAL ECOLOGY* 2016; **85**:994-1003.

AYLWARD J, STEENKAMP ET, DREYER LL, ROETS F, WINGFIELD BD, WINGFIELD MJ. Genome sequences of Knoxdaviesia capensis and *K. proteae* (Fungi: Ascomycota) from Protea trees in South Africa. *Standards in Genomic Sciences* 2016; **11**(1):22, 7 pages.

AYLWARD J, STEENKAMP ET, DREYER LL, ROETS F, WINGFIELD MJ, WINGFIELD BD. Genetic basis for high population diversity in Protea-associated Knoxdaviesia. *FUNGAL GENETICS AND BIOLOGY* 2016; **96**:47-57.

BACO AR, ETTER RJ, RIBEIRO PA, VON DER HEYDEN S, BEERLI P, KINLAN BP. A synthesis of genetic connectivity in deep-sea fauna and implications for marine reserve design. *Molecular Ecology Resources* 2016; **25**:3276-3298.

BELLILE KG, VONESH J. Bioinsecticide and leaf litter combination increases oviposition and reduces adult recruitment to create an effective ovitrap for *Culex* mosquitoes. *JOURNAL OF VECTOR ECOLOGY* 2016; **41**(1):122-126.

BENADEF, STONE W, MOUTON M, POSTMA F, WILSENACH J, BOTHA A. Binary Interactions of Antagonistic Bacteria with *Candida albicans* Under Aerobic and Anaerobic Conditions. *MICROBIAL ECOLOGY* 2016; **71**(3):645-659.

BENADEF PC, DREYER LL, ROETS F. The Importance of Maintaining a Mosaic of Different Plant Communities for Arthropod Biodiversity Conservation at the Vaalputs Radioactive Waste-Disposal Site, Bushmanland, South Africa. *African Entomology* 2016; **24**(1):1-15.

BISHOP TR, ROBERTSON MP, GIBB H, VAN RENSBURG BJ, BRASCHLER BM, CHOWN SL, FOORD SH, MUNYAI TC, OKEY I, TSHIVHANDEKANO PG, WERENKRAUT V, PARR CL. Ant assemblages

have darker and larger members in cold environments. *GLOBAL ECOLOGY AND BIOGEOGRAPHY* 2016; **25**(12):1489-1499.

BLACKBURN M, DELEAN S, PYŠEK P, CASSEY P. On the island biogeography of aliens: a global analysis of the richness of plant and bird species on oceanic islands. *GLOBAL ECOLOGY AND BIOGEOGRAPHY* 2016; **25**:859–868.

BOUCHER FC, CASAZZA G, SZÖVÉNYI P, CONTI E. Sequence capture using RAD probes clarifies phylogenetic relationships and species boundaries in *Primula* sect. *Auricula* F.C. *MOLECULAR PHYLOGENETICS AND EVOLUTION* 2016; **104**:60–72.

BOURNE A, HOLNESS S, HOLDEN P, SCORGIE S, DONATT C, MIDGLEY GF. A Socio-Ecological Approach for Identifying and Contextualising Spatial Ecosystem-Based Adaptation Priorities at the Sub-National Level. *PLoS One* 2016; **11**(5):e0155235, 21 pages.

BROECKHOVEN C, DIEDERICKS G, HUI C, MAKHUBO B, MOUTON PLN. Enemy at the gates: Rapid defensive trait diversification in an adaptive radiation of lizards. *Evolution; international journal of organic evolution* 2016; **70**(11):2647–2656.

BRUNDU G, RICHARDSON DM. Planted forests and invasive alien trees in Europe: A code for managing existing and future plantings to mitigate the risk of negative impacts from invasions. *NeoBiota* 2016; **30**:5–47.

CANAVAN S, RICHARDSON DM, VISSER V, LE ROUX JJ, VORONTSOVA MS, WILSON JR. The global distribution of bamboos: assessing correlates of introduction and invasion. *AoB Plants* 2016; **9**:plw078, 31 pages.

CHARLES-DOMINIQUE T, DAVIES TJ, HEMPSON GP, BEZENG BS, DARU BH, KABONGO RM, MAURIN O, MUASYA AM, VAN DER BANK M, BOND WJ. Spiny plants, mammal browsers, and the origin of African savannas. *PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA* 2016; **113**(38):E5572–E5579.

CHOWN SL, HAUPT TM, SINCLAIR BJ. Similar metabolic rate-temperature relationships after acclimation at constant and fluctuating temperatures in caterpillars of a sub-Antarctic moth. *JOURNAL OF INSECT PHYSIOLOGY* 2016; **85**:10–16.

COLLING J, POLLIER J, VANDEN BOSSCHE R, MAKUNGA NP, PAUWELS L, GOOSSENS A. Hypersensitivity of *Arabidopsis TAXIMIN1* overexpression lines to light stress is correlated with decreased sinapoyl malate abundance and countered by the antibiotic cefotaxime. *Plant Signaling and Behavior* 2016; **11**(4):E1143998(4pages).

CONRADIE W, BITTENCOURT-SILVA GB, LOADER SP, MENEGON M, NANVONAMUQUITXO C, DALTON DL, TOLLEY KA, ENGELBRECHT HM. Batrachochytrium dendrobatidis survey of amphibians in the northern Mozambique 'Sky Islands' and low lying areas. . *Herpetological Review* 2016; **47**(1):42-46.

CROUS PW, WINGFIELD MJ, LE ROUX JJ, RICHARDSON DM, EDWARDS J, ROETS F, STRASBERG D, HUBKA V, TAYLOR PG, HEYKOOP M, MARTIN MP, MORENO G, SUTTON DA, WIEDERHOLD NP, ET AL . Fungal planet description sheets: 400–468. *PERSOONIA* 2016; **36**:316-458.

CROUS PW, WINGFIELD MJ, LE ROUX JJ, ROETS F, VILJOEN A, ET AL , GROENEWALD JZ. Fungal Planet description sheets: 469-557. *PERSOONIA* 2016; **37**:218-403.

DA SILVA JM, CARNE L, HERREL A, MEASEY GJ, TOLLEY KA. The relationship between cranial morphology, bite performance, diet and habitat in a radiation of dwarf chameleon (*Bradypodion*). *BIOLOGICAL JOURNAL OF THE LINNEAN SOCIETY* 2016; **119**:52–67.

DA SILVA JM, FELDHEIM KA, DANIELS RJ, EDWARDS S, TOLLEY KA. Analysis of genetic diversity in Rose's mountain toadlet (*Capensibufo rosei*) using novel microsatellite markers. *African Journal of Herpetology* 2016; **65**(2):69–82.

DAEHLER CC, VAN KLEUNEN M, PYŠEK P, RICHARDSON DM. EMAPI 2015: Highlighting links between science and management of alien plant invasions. *NeoBiota* 2016; **30**:Pages 1-3.

DANIELS SR, KUNAKA C, KLAUS S, SHARMA P. Unmasking alpha diversity, cladogenesis and biogeographical patterning in an ancient panarthropod lineage (Onychophora:Peripatopsidae: *Opisthopatus cinctipes*) with the description of five novel species. *CLADISTICS* 2016; **32**:506–537.

DANIELS SR, MCLEOD C, CARVETH C, MEXIM KK, CUMBERLIDGE N. Examining the evolutionary relationships amongst three species of West African freshwater crabs *Liberonautes* Bott, 1955

(Brachyura: Potamonautesidae) using mtDNA sequence data. *JOURNAL OF CRUSTACEAN BIOLOGY* 2016; **36**(5): 731-739.

DAVID A, MATTHEE CA, LOVEDAY BR, SIMON CA. Predicting the Dispersal Potential of an Invasive Polychaete Pest along a Complex Coastal Biome. *INTEGRATIVE AND COMPARATIVE BIOLOGY* 2016; **56**(4):600-610.

DE BELLO F, FIBICH P, ZELENY D, KOPECKY M, MUDRAK O, CHYTRY M, PYCEK P, WILD J, MICHALCOVA D, SADLO J, SMILAUER P, LEPS J, PARTEL M. Measuring size and composition of species pools: a comparison of dark diversity estimates. *Ecology and Evolution* 2016; **12**(6):4088-4101.

DE BUSSCHERE CD, COURANT J, HERREL A, REBELO R, RÖDDER D, MEASEY GJ, BACKELJAU T. Unequal contribution of native South African phylogeographic lineages to the invasion of the African clawed frog, *Xenopus laevis*, in Europe. *PeerJ* 2016; **4**(1):e1659, 21 pages.

DE JAGER ML, NEWMAN EL, THERON GL, BOTHA PW, BARTON M, ANDERSON BC. Pollinators can prefer rewarding models to mimics: consequences for the assumptions of Batesian floral mimicry. *PLANT SYSTEMATICS AND EVOLUTION* 2016; **302**:409-418.

DE JAGER ML, PEAKALL R. Does morphology matter? An explicit assessment of floral morphology in sexual deception. *FUNCTIONAL ECOLOGY* 2016; **30**:537-546.

DE KLERK AR, OBERHOLSTER PJ, VAN WYK JH, DE KLERK LP, OBERHOLSTER A. A Watershed approach in identifying Key abiotic ecosystem drivers in support of river management: a Unique Case Study. *Water, Air, and Soil Pollution* 2016; **227**:176, 17 pages.

DE KLERK AR, OBERHOLSTER PJ, VAN WYK JH, TRUTER JC, SCHAEFER LM, OBERHOLSTER A. The effects of rehabilitation measures on ecological infrastructure in response to acid mine drainage from coal mining. *ECOLOGICAL ENGINEERING* 2016; **95**:463-474.

DE LANGE WJ, OBERHOLSTER A, OBERHOLSTER PJ. Monetary value of the impacts of filamentous green algae on commercial agriculture: Results from two geographically different case studies. *Water SA* 2016; **42**(3):449-455.

DE VILLIERS FA, DE KOCK M, MEASEY GJ. Controlling the african clawed frog *Xenopus laevis* to conserve the Cape platanna *Xenopus gilli* in South Africa. *Conservation Evidence* 2016; **13**:17-17.

DE WAAL C, ANDERSON BC, ELLIS AG. Dispersal, dormancy and life-history tradeoffs at the individual, population and species levels in southern African Asteraceae. *NEW PHYTOLOGIST* 2016; **210**:356-365.

DOWNEY M, PATERSON ID. Encompassing the relative non-target risks from agents and their alien plant targets in biological control assessments. *BIOCONTROL* 2016; **61**(6):615-630.

DOWNEY M, RICHARDSON DM. Alien plant invasions and native plant extinctions: a six-threshold framework. *AoB Plants* 2016; **8**:plw047, 21 pages.

DROST E, GOLLA TR, VON DER HEYDEN S, TESKE P. No divergent evolution, despite restricted connectivity, between Atlantic and Indian Ocean goby populations. *Marine Biodiversity* 2016; **46**:465-471.

ECKARDT FD, COTTERILL FPD, FLUGEL T, KAHLE B, MCFARLANE M, ROWE CD. Mapping the surface geomorphology of the Makgadikgadi Rift Zone (MRZ). *QUATERNARY INTERNATIONAL* 2016; **404**:115-120.

EDWARDS S, HERREL A, VANHOYDONCK B, MEASEY GJ, TOLLEY KA. Diving in head first: trade-offs between phenotypic traits and sand-diving predator escape strategy in *Meroles* desert lizards. *BIOLOGICAL JOURNAL OF THE LINNEAN SOCIETY* 2016; **119**:919-931.

ENGELBRECHT A, MATTHEE S, DU TOIT N, MATTHEE CA. Limited dispersal in an ectoparasitic mite, *Laelaps giganteus*, contributes to significant phylogeographic congruence with the rodent host, *Rhabdomys*. *MOLECULAR ECOLOGY* 2016; **25**:1006-1021.

EVANS T, KUMSCHICK S, BLACKBURN TM. Application of the Environmental Impact Classification for Alien Taxa (EICAT) to a global assessment of alien bird impacts. *DIVERSITY AND DISTRIBUTIONS* 2016; **22**:919-931.

FAULKNER KT, ROBERTSON MP, ROUGET M, WILSON JR. Border control for stowaway alien species should be prioritised based on variations in establishment debt. *Journal of environmental management* 2016; **180**:301-309.

- FAULKNER KT, ROBERTSON MP, ROUGET M, WILSON JR. Understanding and managing the introduction pathways of alien taxa: South Africa as a case study. *BIOLOGICAL INVASIONS* 2016; **18**:73-87.
- FILL JM, MOULE BM, VARNER JM, MOUSSEAU TA. Flammability of the keystone savanna bunchgrass *Aristida stricta*. *PLANT ECOLOGY* 2016; **217**:331-342.
- FLS GG, BOYER SL, BAKER CM, FERNANDEZ R, SHARMA P, DE BIVORT BL, DANIELS SR, HARVEY MS, GRISWOLD CE. A molecular phylogeny of the temperate Gondwanan family Pettalidae (Arachnida, Opiliones, Cyphophthalmi) and the limits of taxonomic sampling. *ZOOLOGICAL JOURNAL OF THE LINNEAN SOCIETY* 2016; **178**:523-545.
- FONTANESI L, DI PALMA F, FLICEK P, SMITH AT, THULIN CG, ALVES PC, ROBINSON TJ. LaGomiCs-Lagomorph Genomics Consortium: An International Collaborative Effort for Sequencing the Genomes of an Entire Mammalian Order. *JOURNAL OF HEREDITY* 2016; **107**(4):295-308.
- FURLÁN AL, BIANUCCI E, DEL CARMEN TORDABLE M, KLEINERT A, VALENTINE AJ, CASTRO SBR. Dynamic responses of photosynthesis and the antioxidant system during a drought and rehydration cycle in peanut plants. *FUNCTIONAL PLANT BIOLOGY* 2016; **43**(4): 337-345.
- GAERTNER M, LARSON B, IRLICH UM, HOLMES PM, STAFFORD L, VAN WILGEN BW, RICHARDSON DM. Managing invasive species in cities: A framework from Cape Town, South Africa. *LANDSCAPE AND URBAN PLANNING* 2016; **151**:1-9.
- GALLIEN L, SALADIN B, BOUCHER FC, RICHARDSON DM, ZIMMERMAN NE. Does the legacy of historical biogeography shape current invasiveness in pines?. *NEW PHYTOLOGIST* 2016; **209**:1096-1105.
- GEERTS S, MASHELE BV, VISSER V, WILSON JR. Lack of human-assisted dispersal means *Pueraria montana* var. *lobata* (kudzu vine) could still be eradicated from South Africa. *BIOLOGICAL INVASIONS* 2016; **18**:3119-3126.
- GILIOOMEE JH, UECKERMAN EA. First record of the invasive red palm mite *Raoiella indica* Hirst (Acari: Tenuipalpidae) in Namibia. *African Entomology* 2016; **24**(2): 530-532.
- GILIOOMEE JH. First record of *Ellimenistes laesicollis* (Coleoptera: Curculionidae) as a Garden Pest in the Western Cape, South Africa. *African Entomology* 2016; **24**(2):536-538.
- GILIOOMEE JH. *Opogona scaphopis* Meyrick (Lepidoptera: Tineidae: Hieroxestinae) Causing Serious Damage to *Gasteria* and *Haworthia* at Kirstenbosch National Botanical Garden, South Africa. *African Entomology* 2016; **24**(1):233-235.
- GLAZIER DS, CLUSELLA-TRULLAS S, TERBLANCHE JS. Sexual dimorphism and physiological correlates of horn length in a South African isopod crustacean. *JOURNAL OF ZOOLOGY* 2016; **300**(2):99-110.
- GLITZENSTEIN JS, GUSTAFSON DJ, STOWE JP, STRENG DR, BRIDGMAN DA, FILL JM, AYERS JT. Starting a new population of *Schwalbea americana* on a longleaf pine restoration site in South Carolina. *CASTANEA* 2016; **81**(4):302-313.
- GORDON DR, FLORY SL, LIEURANCE DM, HULME PE, BUDDENHAGEN CE, CATON BP, DAEHLER CC, ESSL F, KUMSCHICK S, RICHARDSON DM, ET AL . Weed Risk Assessments Are an Effective Component of Invasion Risk Management. *Invasive Plant Science and Management* 2016; **9**(1):81-83.
- GRIFFITHS CL, ROBINSON T. Use and usefulness of measures of marine endemism in South Africa. *South African Journal of Science* 2016; **112**:Art. #2015-0249, 7 pages.
- HAELEWATERS D, MINNAAR IA, CLUSELLA-TRULLAS S. First finding of the parasitic fungus *Hesperomyces virescens* (Laboulbeniales) on native and invasive ladybirds (Coleoptera, Coccinellidae) in South Africa. *Parasite* 2016; **23**(5):23, 4 pages.
- HARDER MJ, TELLO VM, GILIOOMEE JH. The Acaricidal Effect of Ethanolic Extracts of *Chenopodium quinoa* Willd. on *Tetranychus urticae* Koch (Acari: Tetranychidae). *African Entomology* 2016; **24**(1):50-60.
- HENG G, HYDE KD, JIANCHU X, VALENTINE AJ, MORTIMER PE. Mycosphere Essays 4. Mycorrhizal-associated nutrient dynamics in key ecosystems and their response to a changing environment. *Mycosphere* 2016; **7**(2):190-203.

- HENRIQUES RP, POTTS WM, SAUER WH, SANTOS CV, KRUGER J, THOMAS JA, SHAW PW. Molecular genetic, life-history and morphological variation in a coastal warm-temperate sciaenid fish: evidence for an upwelling-driven speciation event. *JOURNAL OF BIOGEOGRAPHY* 2016; **43** (9):1820-1831.
- HENRIQUES RP, VON DER HEYDEN S, LIPINSKI MR, DU TOIT N, KAINGE P, BLOOMER P, MATTHEE CA. Spatio-temporal genetic structure and the effects of longterm fishing in two partially sympatric offshore demersal fishes. *MOLECULAR ECOLOGY* 2016; **25**:5843-5861.
- HENRIQUES RP, VON DER HEYDEN S, MATTHEE CA. When homoplasy mimics hybridization: a case study of Cape hakes (*Merluccius capensis* and *M. paradoxus*) . *PeerJ* 2016; **4**:e1827, 27 pages.
- HERREL A, MOUREAUX C, LAURIN M, DAGHFOUS G, CRANDELL K, TOLLEY KA, MEASEY GJ, VANHOYDONCK B, BOISTEL R. Frog origins: inferences based on ancestral reconstructions of locomotor performance and anatomy. *Acta Musei Nationalis Pragae, Series B - Historia Naturalis* 2016; **72**(1-2):108-116.
- HIGGINS SI, BUITENWERF R, MONCRIEFF GR. Defining functional biomes and monitoring their change globally. *GLOBAL CHANGE BIOLOGY* 2016; **22**:3583-3593.
- HILL M, BERTELSMEIER C, CLUSELLA-TRULLAS S, GARNAS J, ROBERTSON MP, TERBLANCHE JS. Predicted decrease in global climate suitability masks regional complexity of invasive fruit fly species response to climate change. *BIOLOGICAL INVASIONS* 2016; **18**:1105-1119.
- HILL M, CLUSELLA-TRULLAS S, TERBLANCHE JS, RICHARDSON DM. Drivers, impacts, mechanisms and adaptation in insect invasions. *BIOLOGICAL INVASIONS* 2016; **18**:883-891.
- HUI C, RICHARDSON DM, LANDI P, MINOARIVELO HO, GARNAS J, ROY HE. Defining invasiveness and invasibility in ecological networks. *BIOLOGICAL INVASIONS* 2016; **18**(4):971-983.
- HUNTLEY B, COLLINGHAM YC, SINGARAYER JS, VALDES PJ, BARNARD P, MIDGLEY GF, ALTWEGG R, OHLEMÜLLER R. Explaining patterns of avian diversity and endemism: climate and biomes of southern Africa over the last 140,000 years. *JOURNAL OF BIOGEOGRAPHY* 2016; **43**(5): 874-886.
- HURLEY BP, GARNAS J, WINGFIELD MJ, BRANCO MR, RICHARDSON DM, SLIPPERS B. Increasing numbers and intercontinental spread of invasive insects on eucalypts. *BIOLOGICAL INVASIONS* 2016; **18**(4):921-933.
- IHLLOW F, COURANT J, SECONDI J, HERREL AY, REBELO R, MEASEY GJ, DE VILLIERS FA, VOGT S, DE BUSSCHERE C, BACKELJAU T, RÖDDER D. Impacts of climate change on the global invasion potential of the African clawed frog *Xenopus laevis*. *PLoS One* 2016; **11**(6):e0154869, 19 pages.
- JANION-SCHEEPERS C, BENGTSSON J, LEINAAS HP, DEHARVENG L, CHOWN SL. The response of springtails to fire in the fynbos of the Western Cape, South Africa. *APPLIED SOIL ECOLOGY* 2016; **108**:165-175.
- JANION-SCHEEPERS C, MEASEY GJ, BRASCHLER BM, CHOWN SL, COETZEE L, COLVILLE JF, DAMES J, DAVIES AB, DAVIES S, DAVIS ALV, DIPPENAAR-SCHOEMAN AS, DUFFY GA, FOURIE D, GRIFFITHS CL, HADDAD CR, HAMER M, HERBERT D, HUGO-COETZEE EA, JACOBS A, JACOBS K, JANSEN VA. Soil biota in a megadiverse country: Current knowledge and future research directions in South Africa. *PEDOBIOLOGIA* 2016; **59**:129-174.
- JOOSTE M, DREYER LL, OBERLANDER KC. The phylogenetic significance of leaf anatomical traits of southern African Oxalis. *BMC EVOLUTIONARY BIOLOGY* 2016; **16**(1):1-19.
- KARSTEN M, ADDISON P, JANSEN VAN VUUREN B, TERBLANCHE JS. Investigating population differentiation in a major African agricultural pest: evidence from geometric morphometrics and connectivity suggests high invasion potential. *MOLECULAR ECOLOGY* 2016; **25**:3019-3032.
- KORNIJOW R, MEASEY GJ, MOSS B. The structure of the littoral: effects of waterlily density and perch predation on sediment and plant-associated macroinvertebrate communities. *FRESHWATER BIOLOGY* 2016; **61**:32-50.
- KRUPEK A, GAERTNER M, HOLMES PM, ESLER KJ. Assessment of post-burn removal methods for *Acacia saligna* in Cape Flats Sand Fynbos, with consideration of indigenous plant recovery. *SOUTH AFRICAN JOURNAL OF BOTANY* 2016; **105**:211-217.
- KUMSCHICK S, BLACKBURN TM, RICHARDSON DM. Managing alien bird species: Time to move beyond 100 of the worst lists?. *BIRD CONSERVATION INTERNATIONAL* 2016; **26**(2):154-163.

- KUMSCHICK S, DEVENISH A, KENIS M, RABITSCH W, RICHARDSON DM, WILSON JR. Intentionally introduced terrestrial invertebrates: patterns, risks, and options for management. *BIOLOGICAL INVASIONS* 2016; **18**(4):1077-1088.
- LE ROUX JJ, MAVENGERE NR, ELLIS AG. The structure of legume-rhizobium interaction networks and their response to tree invasions. *AoB Plants* 2016; **8**:plw038, 14 pages.
- LEE JE, CHOWN SL. Range expansion and increasing impact of the introduced wasp Aphidius matricariae Haliday on sub-Antarctic Marion Island. *BIOLOGICAL INVASIONS* 2016; **18**(5):1235-1246.
- LIEBHOLD AM, YAMANAKA T, ROQUES A, AUGUSTIN T, CHOWN SL, BROCKERHOFF EG, PYCEK P. Global compositional variation among native and non-native regional insect assemblages emphasizes the importance of pathways. *BIOLOGICAL INVASIONS* 2016; **18**(4):893-905.
- LOGAN M, DURYEA MC, MOLNAR OR, KESSLER BJ, CALSBEEK R. Spatial variation in climate mediates gene flow across an island archipelago. *Evolution; international journal of organic evolution* 2016; **70**(10):2395-2403.
- LÜBCKER N, DABROWSKI J, ZENGEYA TA, OBERHOLSTER PJ, HALL G, WOODBORNE S, ROBERTSON MP. Trophic ecology and persistence of invasive silver carp Hypophthalmichthys molitrix in an oligotrophic South African impoundment. *African Journal Of Aquatic Science* 2016; **41**(4):399-411.
- MACFADYEN S, HUI C, VERBURG PH, VAN TEEFFELEN AJA. Quantifying spatiotemporal drivers of environmental heterogeneity in Kruger National Park, South Africa. *LANDSCAPE ECOLOGY* 2016; **31**(9):2013-2029.
- MAGADLELA A, PEREZ-FERNANDEZ MA, KLEINERT A, DREYER LL, VALENTINE AJ. Source of inorganic N affects the cost of growth in a legume tree species (*Virgilia divaricata*) from the Mediterranean-type Fynbos ecosystem. *Journal of Plant Ecology* 2016; **9**(6):752-761.
- MAGADLELA A, VARDIEN W, KLEINERT A, STEENKAMP ET, VALENTINE AJ. Variable P supply affects N metabolism in a legume tree, *Virgilia divaricata*, from nutrient-poor Mediterranean-Type ecosystems. *FUNCTIONAL PLANT BIOLOGY* 2016; **43**(3):287-297.
- MAISTRY PM, MUASYA AM, VALENTINE AJ, ZDANOW L, CHIMPANGO SBM. Closely related allopatric *Podalyria* species from the Core Cape Subregion differ in their mechanisms for acquisition of phosphorus, growth and ecological niche. *Journal of Plant Ecology* 2016; **9**(4):451-463.
- MATTHEE CA, ROPIQUET A. The importance of correctly identifying the process responsible for spatial genetic structure in Leopard: A response to McManus and Smuts (2016). *COMPTE RENDUS BIOLOGIES* 2016; **339**(11-12):439-441.
- MATTHEWS T, MEASEY GJ, ROBERTS DL. Implications of a summer breeding frog from Langebaanweg (South Africa): regional climate evolution at 5.1 Mya. *South African Journal of Science* 2016; **9/10**(112):Art. #2016-0070, 7 pages.
- MC CONNACHIE MM, ROMERO C, FERRARO PJ, VAN WILGEN BW. Improving credibility and transparency of conservation impact evaluations through the partial identification approach. *CONSERVATION BIOLOGY* 2016; **30**(2):371-381.
- MC CONNACHIE MM, VAN WILGEN BW, FERRARO PJ, FORSYTH AT, RICHARDSON DM, GAERTNER M, COWLING RM. Using counterfactuals to evaluate the cost-effectiveness of controlling biological invasions. *Ecological Applications* 2016; **2**(26):475-483.
- MCCLELLAND GTW, MCKECHNIE AE, CHOWN SL. Basal metabolic rate of the black-faced sheathbill (*Chionis minor*): Intraspecific variation in a phylogenetically distinct Island endemic. *PHYSIOLOGICAL AND BIOCHEMICAL ZOOLOGY* 2016; **89**(2):141-150.
- MCCUE MD, BOARDMAN L, CLUSELLA-TRULLAS S, KLEYNHANS E, TERBLANCHE JS. The speed and metabolic cost of digesting a blood meal depends on temperature in a major disease vector. *JOURNAL OF EXPERIMENTAL BIOLOGY* 2016; **219**(12):1893-1902.
- MEASEY GJ, VIMERCATI G, DE VILLIERS FA, MOKHATLA MM, DAVIES S, THORP C, REBELO AD, KUMSCHICK S. A global assessment of alien amphibian impacts in a formal framework. *DIVERSITY AND DISTRIBUTIONS* 2016; **22**:970-981.

- MEASEY GJ. Overland movement in African clawed frogs (*Xenopus laevis*): a systematic review. *PeerJ* 2016; **4**:e2474, 7 pages.
- MILLER DR, GILIOMEE JH. Taxonomic Revision of the South African Mealybug Genus Octococcus Hall (Hemiptera: Pseudococcidae). *African Entomology* 2016; **24**(1):112-142.
- MIRANDA NAF, MEASEY GJ, PEER N, RAW JL, PERISSINOTTO R, APPLETON CC. Shell crushing resistance of alien and native thiariid gastropods to predatory crabs in South Afric. *Aquatic Invasions* 2016; **11**(3):303-311.
- MOLLER L, KESSLER KD, STEYN A, VALENTINE AJ, BOTHA A. The role of *Cryptococcus laurentii* and mycorrhizal fungi in the nutritional physiology of *Lupinus angustifolius* L. hosting N₂-fixing nodules. *PLANT AND SOIL* 2016; **409**(1): 345-360.
- MONCRIEFF GR, BOND WJ, HIGGINS SI. Revising the biome concept forunderstanding and predicting globalchange impacts. *JOURNAL OF BIOGEOGRAPHY* 2016; **43**:863-873.
- MONCRIEFF GR, SCHEITER S, LANGAN L, LANGAN L, HIGGINS SI. The future distribution of the savannah biome: model-based and biogeographic contingency. *Philosophical Transactions of the Royal Society of London. Biological Sciences* 2016; **371**(1703):Article number 20150311, 10p.
- MONTECINO V, MOLINA X, BOTHWELL M, MUÑOZ P, CARREVEDO ML, SALINAS F, KUMAR S, CASTILLO ML, BIZAMA G, BUSTAMANTE RO. Spatio temporal population dynamics of the invasive diatom *Didymosphenia geminata* in central-southern Chilean rivers. *SCIENCE OF THE TOTAL ENVIRONMENT* 2016; **568**:1135-1145.
- MOODLEY D, GEERTS S, RICHARDSON DM, WILSON JR. The importance of pollinators and autonomous self-fertilisation in the early stages of plant invasions: *Banksia* and *Hakea* (Proteaceae) as case studies. *PLANT BIOLOGY* 2016; **18**(1):124-131.
- MOODLEY D, PROCHĘS S, WILSON JR. A global assessment of a large monocot family highlights the need for group-specific analyses of invasiveness. *AoB Plants* 2016; **8**:plw009, 14 pages.
- MOTHAPO NP, WOSSLER TC. The attractiveness of toxic bait is not always accompanied by increased mortality in laboratory colonies of argentine ants, *linepithema humile* (Hymenoptera: Formicidae). *African Entomology* 2016; **24**(2):352-364.
- MOTHAPO NP, WOSSLER TC. You are Not Always What You Eat": Diet Did Not Override Intrinsic Nestmate Recognition Cues in Argentine Ants from Two Supercolonies in South Africa. *AFRICAN ZOOLOGY* 2016; **51**(3):161-171.
- MPHAHLELE RR, FAWOLE OA, MAKUNGA NP, OPARA UL. Effect of drying on the bioactive compounds, antioxidant, antibacterial and antityrosinase activities of pomegranate peel. *BMC Complementary and Alternative Medicine* 2016; **16**:143, 12 pages.
- MUSVUUGWA T, DE BEER ZW, DUONG TA, DREYER LL, OBERLANDER KC, ROETS F. Wounds on Rapanea melanophloeos provide habitat for a large diversity of Ophiostomatales including four new species. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology* 2016; **109**(6):877-894.
- MUSVUUGWA T, DREYER LL, ROETS F. Future danger posed by fungi in the Ophiostomatales when encountering new hosts. *Fungal Ecology* 2016; **22**:83-89.
- NDLELA LL, OBERHOLSTER PJ, VAN WYK JH, CHENG PH. An overview of cyanobacterial bloom occurrences and research in Africa over the last decade. *HARMFUL ALGAE* 2016; **60**:11-26.
- NENTWIG W, BACHER S, PYCEK P, VILÀ M, KUMSCHICK S. The generic impact scoring system (GISS): a standardized tool to quantify the impacts of alien species. *ENVIRONMENTAL MONITORING AND ASSESSMENT* 2016; **188**(5):Article number 315.
- NOVOA PEREZ A, KAPLAN H, WILSON JR, RICHARDSON DM. Resolving a Prickly Situation: Involving Stakeholders in Invasive Cactus Management in South Africa. *ENVIRONMENTAL MANAGEMENT* 2016; **57**(5):998-1008.
- NOVOA PEREZ A, KUMSCHICK S, RICHARDSON DM, ROUGET M, WILSON JR. Native range size and growth form in Cactaceae predict invasiveness and impact. *NeoBiota* 2016; **30**:75-90.
- NOVOA PEREZ A, RODRÍGUEZ R, LÓPEZ-NOGUEIRA A, RICHARDSON DM, GONZÁLEZ L. Seed characteristics in Cactaceae: Useful diagnostic features for screening species for invasiveness?. *SOUTH AFRICAN JOURNAL OF BOTANY* 2016; **105**:61-65.

- NUNES AN, DOUTHWAITE RJ, TYSER B, MEASEY GJ, WEYL OLF. Invasive crayfish threaten Okavango Delta. *FRONTIERS IN ECOLOGY AND THE ENVIRONMENT* 2016; **14**(5):237-238.
- OBERHOLSTER PJ, DE KLERK AR, DE KLERK LP, CHAMIER J, BOTHA A. Algal assemblage responses to acid mine drainage and steel plant wastewater effluent up and downstream of pre and post wetland rehabilitation. *ECOLOGICAL INDICATORS* 2016; **62**:106-116.
- OBERHOLSTER PJ, HILL L, JAPPIE S, TRUTER JC, OBERHOLSTER A. Applying genotoxicology tools to identify environmental stressors in support of river management. *CHEMOSPHERE* 2016; **144**:319-329.
- OBERHOLSTER PJ, TRUTER JC, VAN WYK JH, OBERHOLSTER A, MOKWENA LM. An evaluation of the endocrine disruptive potential of crude oil water accommodated fractions and crude oil contaminated surface water to freshwater organisms using in vitro and in vivo approaches. *ENVIRONMENTAL TOXICOLOGY AND CHEMISTRY* 2017; **36**(5):1330-1342.
- OBERLANDER KC, DREYER LL, GOLDBLATT P, SUDA J, LINDER HP. Species-rich and polyploid-poor: Insights into the evolutionary role of whole-genome duplication from the Cape flora biodiversity hotspot. *AMERICAN JOURNAL OF BOTANY* 2016; **103**(7):1336-1347.
- PAUCHARD A, MILBAU A, ALBIHN A, ALEXANDER J, BURGESS T, DAEHLER CC, ENGLUND G, ESSL F, EVENGA RD B, GREENWOOD GB, HAIDER S, ET AL, KÜFFER M. Non-native and native organisms moving into high elevation and high latitude ecosystems in an era of climate change: new challenges for ecology and conservation. *BIOLOGICAL INVASIONS* 2016; **18**(2):345-353.
- PÉREZ-FERNÁNDEZ MA, CALVO-MAGRO E, VALENTINE AJ. Benefits of the Symbiotic Association of Shrubby Legumes for the Rehabilitation of Degraded Soils under Mediterranean Climatic Conditions. *Land Degradation and Development* 2016; **27**(2):395-405.
- PEREZ-FERNANDEZ MA, HILL YJ, CALVO-MAGRO E, VALENTINE AJ. Competing Bradyrhizobia strains determine niche occupancy by two native legumes in the Iberian Peninsula. *PLANT ECOLOGY* 2015; **216**(11):1537-1549.
- PHIRI EE, DANIELS SR. Multilocus coalescent species delimitation reveals widespread cryptic differentiation among Drakensberg mountain-living freshwater crabs (Decapoda:Potamonautes). *INVERTEBRATE SYSTEMATICS* 2016; **30**(1):60-74.
- PIRIE MD, OLIVER EGH, MUGRABI DE KUPPLER AL, GEHRKE B, LE MAITRE NC, KANDZIORA M, BELLSTEDT DU. The biodiversity hotspot as evolutionary hot-bed: spectacular radiation of *Erica* in the Cape Floristic Region. *BMC EVOLUTIONARY BIOLOGY* 2016; **16**:190, 11 pages.
- PLATH M, MOSER C, BAILIS R, BRANDT P, HIRSCH H, KLEIN AM, WALMSLEY D, VON WEHRDEN H. A novel bioenergy feedstock in Latin America? Cultivation potential of *Acrocomia aculeata* under current and future climate conditions. *Biomass and Bioenergy* 2016; **91**:186-195.
- POPE HR, ALEXANDER ME, ROBINSON T. Filtration, feeding behaviour and their implications for future spread: A comparison of an invasive and native barnacle in South Africa. *JOURNAL OF EXPERIMENTAL MARINE BIOLOGY AND ECOLOGY* 2016; **479**:54-59.
- REINECKE AJ, RENZ S, VAN WYK M. Die geskiktheid van potwurms (Enchytraeidae) en plante om die toksisiteit van olieaffinadery-slik te toets. *South African Journal for Science and Technology / Suid-Afrikaanse Tydskrif vir Natuurwetenskap en Tegnologie* 2016; **35**(1):a1382, 13 pages.
- REINECKE AJ, VAN WYK M, REINECKE SA. The Influence of Soil Characteristics on the Toxicity of Oil Refinery Waste for the Springtail *Folsomia candida* (*Collembola*). *BULLETIN OF ENVIRONMENTAL CONTAMINATION AND TOXICOLOGY* 2016; **96**(1):804-809.
- REINECKE AJ, VAN WYK M, REINECKE SA. Toxicity to Earthworms and Chemical Composition of Oil Refinery Sludge Destined for Landfarming. *Soil and Sediment Contamination* 2016; **25**(8):868-881.
- RICHARDS LR, RAMBAU RV, GOODMAN SM, TAYLOR PJ, SCHOE MAN MC, YANG F, LAMB JM. Karyotypic Evolution in Malagasy Flying Foxes (Pteropodidae, Chiroptera) and Their Hipposiderid Relatives as Determined by Comparative Chromosome Painting. *CYTogenetic AND GENOME RESEARCH* 2016; **148**:185-198.
- ROČEK Z, BALEEVA N, VAZEILLE A, BRAVIN A, VAN DIJK DE, NEMOZ C, PRIKRYL T, SMIRINA EM, BOISTEL R, CLAESSENS L. Contribution to the head anatomy of the basal frog Barbourula

busuangensis and the evolution of the anura. *RUSSIAN JOURNAL OF HERPETOLOGY* 2016; **23** (3):163-194.

ROBERTSON MP, VISSER V, HUI C. Bioge: an R package for assessing and improving data quality of occurrence record datasets. *ECOGRAPHY* 2016; **39**:394-401.

ROBINSON T, ALEXANDER ME, SIMON CA, GRIFFITHS CL, PETERS K, SIBANDA S, MIZA S, GROENEWALD B, MAJIEDT P, SINK KJ. Lost in translation? Standardising the terminology used in marine invasion biology and updating South African alien species lists. *African Journal of Marine Science* 2016; **36**(1):129-140.

RODGER JG, ELLIS AG. Distinct effects of pollinator dependence and self-incompatibility on pollen limitation in South African biodiversity hotspots. *Biology Letters* 2016; **12**:20160253, 4 pages.

ROQUES A, AUGER-ROZENBERG MA, BLACKBURN TM, GARNAS J, PYŠEK P, RABITSCH W, RICHARDSON DM, WINGFIELD MJ, LIEBHOLD AM, DUNCAN RP. Temporal and interspecific variation in rates of spread for insect species invading Europe during the last 200 years. *BIOLOGICAL INVASIONS* 2016; **18**(4):907-920.

ROUGET M, ROBERTSON MP, WILSON JR, HUI C, ESSL F, RENTERIA J, RICHARDSON DM. Invasion debt - quantifying future biological invasions. *DIVERSITY AND DISTRIBUTIONS* 2016; **22**(4): 445-456.

ROUSSE P, QUICKE DLJ, MATTHEE CA, LEFEUVRE P, VAN NOORT S. A molecular and morphological reassessment of the phylogeny of the subfamily Ophioninae (Hymenoptera: Ichneumonidae). *ZOOLOGICAL JOURNAL OF THE LINNEAN SOCIETY* 2016; **178**(1):128-148.

ROY HE, BROWN PM, ADRIAENS T, BERKVENS N, BORGES PAV, CLUSELLA-TRULLAS S, COMONT RF, DE CLERCQ R, ESCHEN R, HUI C, MINNAAR IA, ET AL . The harlequin ladybird, Harmonia axyridis: global perspectives on invasion history and ecology. *BIOLOGICAL INVASIONS* 2016; **18** (4):997-1044.

RUMLEROVÁ Z, VILÀ M, PERGL J, NENTWIG W, PYCEK P. Scoring environmental and socioeconomic impacts of alien plants invasive in Europe. *BIOLOGICAL INVASIONS* 2016; **18**:3697-3711.

SACCAGGI DL, KARSTEN M, ROBERTSON MP, KUMSCHICK S, SOMERS MJ, WILSON JR, TERBLANCHE JS. Methods and approaches for the management of arthropod border incursions. *BIOLOGICAL INVASIONS* 2016; **18**(4):1057-1075.

SANTOS M, FERREIRA D, BASTOS R, VICENTE J, HONRADO J, KUFFER M, KULL CA, BERGER U, CABRAL JA. Linking landscape futures with biodiversity conservation strategies in northwest Iberia - A simulation study combining surrogates with a spatio-temporal modelling approach. *Ecological Informatics* 2016; **33**:85-100.

SCHEFFERS BR, DE MEESTER L, BRIDGE TCL, HOFFMANN AA, PANDOLFI JM, CORLETT RT, BUTCHART SHM, PEARCE-KELLY P, KOVACS KM, DUDGEON D, PACIFICI M, RONDININI C, FODEN WB, ET AL . The broad footprint of climate change from genes to biomes to people. *SCIENCE* 2016; **354**(6313):aaf7671, 13 pages.

SCHMICKL R, LISTON A, ZEISEK V, OBERLANDER KC, WEITEMIER K, STRAUB SCK, CRONN RC, DREYER LL, SUDA J. Phylogenetic marker development for target enrichment from transcriptome and genome skim data: the pipeline and its application in southern African Oxalis (Oxalidaceae). *Molecular Ecology Resources* 2016; **16**(5): 1124-1135.

SCHMID B, NOTTEBROCK H, ESLER KJ, PAGEL J, PAUW CA, BOHNING-GAESE K, SCHURR FM, SCHLEUNING M. Responses of nectar-feeding birds to floral resources at multiple spatial scales. *ECOGRAPHY* 2016; **39**:619-629.

SCHROEDER E, CLUSELLA-TRULLAS S. Exotic trees modify the thermal landscape and food resources for lizard communities. *OECOLOGIA* 2016; **182**(4):1213-1225.

SELKOE KA, D ALOIA CC, CRANDALL ED, IACCHEI M, LIGGINS L, PURITZ JB, VON DER HEYDEN S, TOONEN RJ. A decade of seascape genetics: Contributions to basic and applied marine connectivity. *MARINE ECOLOGY PROGRESS SERIES* 2016; **554**:1-19.

SHACKLETON RT, LE MAITRE DC, VAN WILGEN BW, RICHARDSON DM. Identifying barriers to effective management of widespread invasive alien trees: Prosopis species (mesquite) in South

Africa as a case study. *GLOBAL ENVIRONMENTAL CHANGE-HUMAN AND POLICY DIMENSIONS* 2016; **38**:183-194.

SHARPE LL, RUBOW J, CHERRY MI. Robbing rivals: Interference foraging competition reflects female reproductive competition in a cooperative mammal. *ANIMAL BEHAVIOUR* 2016; **112**:229-236.

SINGER A, JOHST K, BANITZ T, FOWLER MS, GROENEVELD J, GUTIÉRREZ AG, HARTIG F, KRUG RM, LIESS M, MATLACK G, MEYER KM, PE'ER G, RADCHUK V, VOINOPOL-SASSU AJ, TRAVIS JM. Community dynamics under environmental change: How can next generation mechanistic models improve projections of species distributions?. *ECOLOGICAL MODELLING* 2016; **326**:63-74.

SMIT IPJ, ASNER GP, GOVENDER N, VAUGHN NR, VAN WILGEN BW. An examination of the potential efficacy of high-intensity fires for reversing woody encroachment in savannas. *JOURNAL OF APPLIED ECOLOGY* 2016; **53**(5):1623-1633.

STAATS EG, AGOSTA SJ, VONESH J. Predator diversity reduces habitat colonization by mosquitoes and midges. *Biology Letters* 2016; **12**:0580, 5 pages.

STAFFORD GI, WIKKELSØ MJ, NANCKE L, JÄGER AK, MÖLLER M, RØNSTED N. The first phylogenetic hypothesis for the southern African endemic genus *Tulbaghia* (Amaryllidaceae, Allioideae) based on plastid and nuclear DNA sequences. *BOTANICAL JOURNAL OF THE LINNEAN SOCIETY* 2016; **181**(2):156-170.

SU S, CASSEY P, BLACKBURN M. The wildlife pet trade as a driver of introduction and establishment in alien birds in Taiwan. *BIOLOGICAL INVASIONS* 2016; **18**(1): 215-229.

SZCZERBAL I, ROBINSON TJ, DURAN PUIG A, DAVEY SC, ANDERSSON M, SWITONSKI M. Ectopic position of duplicated *KIT* gene in African Nguni cattle, associated with color sidedness, confirms its shared ancestry with the *Bos taurus* lineage. *ANIMAL GENETICS* 2016; **48**(1):122-123.

TERBLANCHE C, NÄNNI I, KAPLAN H, STRATHIE LW, MCCONNACHIE AJ, GOODALL J, VAN WILGEN BW. An approach to the development of a national strategy for controlling invasive alien plant species: The case of *Parthenium hysterophorus* in South Africa'. *Bothalia - African Biodiversity & Conservation* 2016; **46**(1):a2053.

THOMPSON GD, RICHARDSON DM, WILSON JR, BELLSTEDT DU, LE ROUX JJ. Genetic diversity and structure of the globally invasive tree, *Paraserianthes lophantha* subspecies *lophantha*, suggest an introduction history characterised by varying propagule pressure. *Tree Genetics and Genomes* 2016; **12**(2):Article number 27, 9 pages.

THUYNSMA R, KLEINERT A, KOSSMANN JM, VALENTINE AJ, HILLS PN. The effects of limiting phosphate on photosynthesis and growth of *Lotus japonicus*. *SOUTH AFRICAN JOURNAL OF BOTANY* 2016; **104**:244-248.

TOLLEY KA, ALEXANDER G, BRANCH WR, BOWLES P, MARITZ B. Conservation status and threats for African reptiles. *BIOLOGICAL CONSERVATION* 2016; **204**:63-71.

TRUTER JC, VAN WYK JH, OBERHOLSTER PJ, OBERHOLSTER A, DE KLERK AR. An In Vitro and In Vivo Assessment of Endocrine Disruptive Activity in a Major South African River. *Water, Air, and Soil Pollution* 2016; **227**:54, 16 pages.

TRUTER JC, VAN WYK JH, OBERHOLSTER PJ, OBERHOLSTER A, LUUS-POWELL WJ. The expression of selected genes linked to metabolic homeostasis in obese pansteatitis-suffering Mozambique tilapia, *Oreochromis mossambicus* (Peters). *JOURNAL OF FISH DISEASES* 2016; **39**:69-85.

TURNER BL, ESLER KJ, BRIDGEWATER P, TEWKSBURY J, SITAS NE, ABRAHAMS B, CHAPIN FS, CHOWDHURY RR, CHRISTIE PATRICK, DIAZ S, VAN WILGEN BW, ET AL . Socio-Environmental Systems (SES) Research: what have we learned and how can we use this information in future research programs. *Current Opinion in Environmental Sustainability* 2016; **19**:160-1168.

VAN DER MESCHT L, KRASNOV BR, MATTHEE CA, MATTHEE S. Community structure of fleas within and among populations of three closely related rodent hosts: Nestedness and beta-diversity. *PARASITOLOGY* 2016; **143**(10):1268-1278.

VAN DER MESCHT L, LE ROUX PC, MATTHEE CA, RAATH M, MATTHEE S. The influence of life history characteristics on flea (Siphonaptera) species distribution models. *Parasites and Vectors* 2016; **9**:178.

- VAN HEERDEN A, MOUTON M, POSTMA F, VAN WYK PJW, LERM B, VAN ZYL WH, BORSTLAP CJ, BOTHA A. The microcyclic conidial stage of *Coniochaeta pulveracea* and its effect on selected biological interactions. *FOLIA MICROBIOLOGICA* 2016; **61**:319–328.
- VAN SITTERT L, MEASEY GJ. Historical perspectives on global exports and research of African clawed frogs (*Xenopus laevis*). *Transactions of the Royal Society of South Africa* 2016; **71**:157–166.
- VAN WILGEN BW, BOSHOFF SC, SMIT IPJ, SOLANO-FERNANDEZ S, VAN DER WALT L. A bibliometric analysis to illustrate the role of an embedded research capability in South African National Parks. *SCIENTOMETRICS* 2016; **107**:185–212.
- VAN WILGEN BW, CARRUTHERS J, COWLING RM, ESLER KJ, FORSYTH AT, GAERTNER M, HOFFMAN M, KRUGER FJ, MIDGLEY GF, PALMER G, PENCE GQK, RAIMONDO DC, RICHARDSON DM, VAN WILGEN NJ, WILSON JR. Ecological research and conservation management in the Cape Floristic Region between 1945 and 2015: History, current understanding and future challenges. *Transactions of the Royal Society of South Africa* 2016; **71**:207–303.
- VAN WILGEN BW, FILL JM, BAARD J, CHENEY C, FORSYTH AT, KRAAIJ T. Historical costs and projected future scenarios for the management of invasive alien plants in protected areas in the Cape Floristic Region. *BIOLOGICAL CONSERVATION* 2016; **200**:168–177.
- VAN WILGEN BW, WANNENBURGH A. Co-facilitating invasive species control, water conservation and poverty relief: achievements and challenges in South Africa's Working for Water programme. *Current Opinion in Environmental Sustainability* 2016; **19**:7–17.
- VAN WYK JH. From biological control to controlling biology. *South African Journal of Science* 2016; **112**:ART#a0187, 2 pages.
- VARDIEN W, STEENKAMP ET, VALENTINE AJ. Legume nodules from nutrient-poor soils exhibit high plasticity of cellular phosphorus recycling and conservation during variable phosphorus supply. *JOURNAL OF PLANT PHYSIOLOGY* 2016; **191**: 73-81.
- VISSEER V, WILSON JR, FISH L, BROWN CA, COOK GD, RICHARDSON DM. Much more give than take: South Africa as a major donor but infrequent recipient of invasive non-native grasses. *GLOBAL ECOLOGY AND BIOGEOGRAPHY* 2016; **25**:679–692.
- VON DER HEYDEN S, LUKEY P, CELLIERS L, PROCHAZKA K, LOMBARD AT. Science to policy - Reflections on the South African reality. *South African Journal of Science* 2016; **112**(11-12):Art. # 0183, 6 pages.
- WASSERMAN RJ, ALEXANDER ME, WEYL OLF, BARRIOS-O'NEILL D, FRONEMAN PW, DALU T. Emergent effects of structural complexity and temperature on predator-prey interactions. *Ecosphere* 2016; **7**:e01239, 11 pages.
- WEIDHASE M, BLEIDORN C, SIMON CA. On the taxonomy and phylogeny of *Ctenodrilus* (Annelida: Cirratulidae) with a first report from South Africa. *Marine Biodiversity* 2016; **46**:243–252.
- WILLIAMS L, MATTHEE CA, SIMON CA. Dispersal and genetic structure of *Boccardia polybranchia* and *Polydora hoplura* (Annelida: Spionidae) in South Africa and their implications for aquaculture. *AQUACULTURE* 2016; **465**:235-244.
- WILSON JR, GARCÍA-DÍAZ P, CASSEY P, RICHARDSON DM, PYŠEK P, BLACKBURN TM. Biological invasions and natural colonisations are different - The need for invasion science. *NeoBiota* 2016; **31**:87–98.
- WOOD LE, DANIELS SR. Genetic and morphological evidence for a new mountain-living freshwater crab species (Decapoda: Potamonautes) from the Western Cape province of South Africa. *INVERTEBRATE SYSTEMATICS* 2016; **30**(3):219-230.
- WOODFORD DJ, RICHARDSON DM, MACISAAC HJ, MANDRAK NE, VAN WILGEN BW, WILSON JR, WEYL OLF. Confronting the wicked problem of managing biological invasions. *NeoBiota* 2016; **31**:63-86.
- YOUNG AJ, GUO D, DESMET PG, MIDGLEY GF. Biodiversity and climate change: Risks to dwarf succulents in Southern Africa. *JOURNAL OF ARID ENVIRONMENTS* 2016; **129**:16-24.
- ZIMMERMANN TG, ANDRADE ACS, RICHARDSON DM. Experimental assessment of factors mediating the naturalisation of a globally invasive tree on sandy coastal plains: a case study from Brazil. *AoB Plants* 2016; **8**:plw042, 16 pages.

Journal Articles (NON-subsidised)

- DE BRUYN PJN, BESTER MN. Assessing 3D photogrammetry techniques in craniometrics. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences* 2016; **41**:267-273.
- GUO D, ARNOLDS JL, MIDGLEY GF, FODEN WB. Conservation of Quiver Trees in Namibia and South Africa under a Changing Climate. *Journal of Geoscience and Environment Protection* 2016; **4** (7):Article ID:68805, 8 pages.
- GUO D, MIDGLEY GF, MUSIL CF. Climate Change Impacts on Hydrological Niches of Restionaceae Species in Jonkershoek, South Africa. *Journal of Water Resource & Hydraulic Engineering* 2016; **5** (1):20-8.
- HERNÁNDEZ-MORENO D, MÍGUEZ-SANTIYÁN MP, OROPESA-JIMÉNEZ AL, SOLER-RODRÍGUEZ F, VAN WYK JH, PÉREZ-LÓPEZ M. Bifenilos policlorados y disrupción endocrina en la fauna salvaje. *Observatorio Medioambiental* 2016; **19**:91-109.
- MARSILI L, COPPOLA D, GIANNETTI M, CASINI S, FOSSI MC, VAN WYK JH, SPERONE E, TRIPEPI S, MICARELLI P, RIZZUTO S. Skin Biopsies as a Sensitive Non-Lethal Technique for the Ecotoxicological Studies of Great White Shark (*Carcharodon carcharias*) Sampled in South Africa. *Expert Opinion on Environmental Biology* 2016; **4**(1):1000126, 8 pages.
- MARTINS J, RICHARDSON DM, HENRIQUES R, MARCHANTE E, MARCHANTE H, ALVES P, GAERTNER M, HONRADO J, VICENTE J. A multi-scale modelling framework to guide management of plant invasions in a transboundary context. *Forest Ecosystems*. *Forest Ecosystems* 2016; **3**:17, 14 pages.

Chapters in Books

- DAVIES SJ, MEASEY GJ, DU PLESSIS D, RICHARDSON DM. Science and Education at the Centre for Invasion Biology. In: Castro P, Azeiteiro UM, Bacelar-Nicolau P, Filho WL, Azul AM (eds.) *Biodiversity and Education for Sustainable Development, World Sustainability Series*, Springer, Switzerland, 2016: 93-106.

Doctoral completed

- BABALOLA OO. *Ecotoxicological and potential endocrine effects of selected aquatic herbicides on life stages of the African clawed frog, Xenopus laevis*. PhD, 2016. 251 pp.
- COETZEE A. *Nectar distribution and nectarivorous bird foraging behaviour at different spatial scales*. PhD, 2016. 135 pp.
- DE KLERK AR. *A comparative exotoxicological study of two major South African river system: A catchment scale approach for improved risk assessment and environmental management through the integration of abiotic, biotic, biochemical and molecular endpoints*. PhD, 2016. 258 pp.
- SHACKLETON RT. *A multi-scaled, transdisciplinary study on the impacts and management of Prosopis, one of the world's worst woody invasive plant taxa*. PhD, 2016. 185 pp.
- TRUTER JC. *Testing for endocrine disruptors in South African waters: A comparative study employing in vitro and in vivo screening approaches*. PhD, 2016. 248 pp.

Masters completed

- GROENEWALD L. *The development of phosphate stress and its functional consequences in the model legume plant *Medicago truncatula**. MSc, 2016. 125 pp.
- JOOSTE M. *The phylogenetic and potential functional significance of leaf anatomical and physiological traits of southern African Oxalis*. MSc, 2016. 125 pp.
- LOUW A. *Plant functional types on Marion Island*. MSc (Ingwet), 2016. 249 pp.
- MCDONALD DE. *Species boundaries and conservation of the velvet worm genus Peripatopsis in South Africa*. MSc, 2016. 119 pp.
- MOSTERT E. *Identifying priority areas for active restoration after alien plant clearing in the City of Cape Town*. MSc, 2016. 189 pp. Studieleier: GAERTNER M.

STRAUSS P. *Phylogeography and thermal physiology of Meroles knoxii (Family: Lacertidae): relevance for species responses to climate change.* MSc, 2016. 89 pp.

TONKIE JN. *Marion Island bryophytes: evidence for functional types based on traits related to photosynthesis and desiccation tolerance.* MSc, 2016. 174 pp.

SIGNED BY HOD :

.....

NAME :

.....

DATE :

.....

* * * END OF REPORT * * *
